

PROFESSIONAL DIGITAL TWO-WAY RADIO **MOTOTRBO**TM **DP4800/DP4801 COLOUR DISPLAY PORTABLE USER GUIDE**



Contents

Contents

This User Guide contains all the information you need to use the MOTOTRBO DP Series Digital Portable Radios.

Important Safety Information
Product Safety and RF Exposure Compliancevi
Software Version vi
Computer Software Copyrightsvii
Handling Precautions viii
Getting Started 1 How to Use This Guide 1 What Your Dealer/System Administrator 1 Can Tell You 1
Preparing Your Radio for Use 2 Charging the Battery 2 Attaching the Battery 3 Attaching the Antenna 3 Attaching the Belt Clip 4 Attaching the Universal Connector Cover (Dust Cover)
4 Powering Up the Radio 5 Adjusting the Volume 6

Identifying Radio Controls	6
Radio Controls	7
Programmable Buttons	8
Assignable Radio Functions	8
Assignable Settings or Utility Functions	9
Using the 4-Way Navigation Button	10
Accessing the Programmed Functions	10
Using the Keypad	11
Push-To-Talk (PTT) Button	12
Switching Between Conventional Analog and Dig	jital
Mode	13
IP Site Connect	13
Capacity Plus	14
Linked Capacity Plus	14
Identifying Status Indicators	15
Display Icons	16
Call Icons	17
Advanced Menu Icons	18
Mini Notice Icons	18
Sent Item Icons	19
Bluetooth Device Icons	19
LED Indicator	20
Indicator Tones	21
Audio Tones	21

Making and Receiving Calls	. 22
Selecting a Zone	. 22
Selecting a Channel	. 23
Receiving and Responding to a Radio Call	
Receiving and Responding to a Group Call	. 24
Receiving and Responding to a Private Call	. 25
Receiving an All Call	
Receiving and Responding to a Selective Call .	
Making a Radio Call	
Making a Call with the Channel Selector Knob .	
Making a Group Call	
Making a Private Call	. 28
Making an All Call	
Making a Selective Call	. 29
Making a Group, Private or All Call with the	
Programmable Number Key	
Stopping a Radio Call	. 31
Talkaround	. 32
Monitoring Features	. 33
Monitoring a Channel	. 33
Permanent Monitor	. 33
Advanced Features	. 34
Radio Check	. 35
Sending a Radio Check	
Remote Monitor	

Initiating Remote Monitor	36
Stopping Remote Monitor	37
Scan Lists	38
Viewing an Entry in the Scan List	38
Viewing an Entry in the Scan List by Alias Search	38
Editing the Scan List	39
Adding a New Entry to the Scan List	39
Deleting an Entry from the Scan List	
Setting and Editing Priority for an Entry in the So	
List	40
Scan	41
Starting and Stopping Scan	42
Responding to a Transmission During a Scan	42
Deleting a Nuisance Channel	43
Restoring a Nuisance Channel	43
Vote Scan	43
Contacts Settings	44
Making a Group Call from Contacts	44
Making a Private Call from Contacts	45
Making a Call by Alias Search	46
Assigning an Entry to a Programmable	
Number Key	47
Removing the Association between Entry and	
Programmable Number Key	47
Setting Default Contact	
Call Indicator Settings	48

ii English

C	
0	
б	
ň	
T	

Activating or Deactivating Call Ringers for Call Alert
Activating or Deactivating Call Ringers for Private
Calls
Activating or Deactivating Call Ringers for Selective
Call
Activating or Deactivating Call Ringers for Text
Message
Activating or Deactivating Call Ringers for Telemetry
Status with Text
Assigning Ring Styles51
Escalating Alarm Tone Volume
Call Log Features
Viewing Recent Calls52
Storing an Alias or ID from a Call List52
Deleting a Call from a Call List
Viewing Details from a Call List
Call Alert Operation
Receiving and Responding to a Call Alert53
Making a Call Alert from the Contacts List54
Making a Call Alert with the One Touch Access Button
Emergency Operation
Receiving an Emergency Alarm
Responding to an Emergency Alarm
Sending an Emergency Alarm

Sending an Emergency Alarm with Voice to Follo	W
	. 58
Reinitiating an Emergency Mode	. 59
Exiting Emergency Mode	. 59
Text Message Features	. 60
Writing and Sending a Text Message	. 60
Sending a Quick Text Message	. 61
Sending a Quick Text Message with the One Tou	ıch
Access Button	-
Accessing the Drafts Folder	
Viewing a Saved Text Message	
Editing and Sending a Saved Text Message	
Deleting a Saved Text Message from Drafts	
Managing Fail-to-Send Text Messages	
Resending a Text Message	
Forwarding a Text Message	
Editing a Text Message	
Managing Sent Text Messages	
Viewing a Sent Text Message	
Sending a Sent Text Message Deleting All Sent Text Messages from Sent Iter	
Receiving a Text Message	-
Reading a Text Message	
Managing Received Text Messages	
wanaying Received Text wessayes	. 00

Sending an Emergency Alarm with Call57

English

iii

Viewing a Text Message from the Inbox 68
Viewing a Telemetry Status Text Message from the
Inbox68
Replying to a Text Message from the Inbox 69
Deleting a Text Message from the Inbox 69
Deleting All Text Messages from the Inbox 70
Analog Message Encode
Sending MDC Message Encode to Dispatcher 71
Sending 5-Tone Message Encode to Contact 71
Analog Status Update 72
Sending Status Update to Predefined Contact 72
Viewing 5-Tone Status Details
Editing 5-Tone Status Details
Privacy
Dual Tone Multi Frequency (DTMF)
Multi-Site Controls
Starting an Automatic Site Search
Stopping an Automatic Site Search
Starting a Manual Site Search
Security
Radio Disable
Radio Enable
Lone Worker
Password Lock Features
Accessing the Radio from Password
Unlocking the Radio from Locked State

Turning the Password Lock On or Off	80
Changing the Password	81
Bluetooth Operation	82
Finding and Connecting to a Bluetooth Device	82
Disconnecting from a Bluetooth Device	83
Switching Audio Route	83
Viewing Device Details	
Editing Device Name	
Notification List	
Accessing the Notification List	85
Utilities	85
Turning the Radio Tones/Alerts On or Off	85
Turning Keypad Tones On or Off	86
Setting the Tone Alert Volume Offset Level	86
Turning the Talk Permit Tone On or Off	87
Setting the Power Level	87
Changing the Display Mode	88
Adjusting the Display Brightness	88
Controlling the Display Backlight	88
Setting the Squelch Level	89
Turning the Introduction Screen On or Off	89
Locking and Unlocking the Keypad	90
Language	90
Turning the LED Indicator On or Off	91
Turning the Voice Operating Transmission (VOX)

Contents

iv

English

Feature On or Off91	
Turning the Option Board Feature(s) On or Off 92	
Identifying Cable Type	
Voice Announcement	
Call Forwarding93	
Menu Timer	
Analog Mic AGC93	
Digital Mic AGC94	
Intelligent Audio94	
GPS95	
Accessing General Radio Information95	
Accessing the Battery Information	
Checking the Radio Alias and ID96	
Checking the Firmware Version and Codeplug Ver	-
sion	
Checking the GPS Information	
Front Panel Programming (FPP)98	
Entering FPP Mode	
Editing FPP Mode Parameters	
Accessories	
Antennas	
Batteries	
Carry Devices	
Chargers	
Headsets and Headset Accessories	

Notes	104
Miscellaneous Accessories	103
Surveillance Accessories	102
Remote Speaker Microphones	102
Earbuds and Earpieces	101

V

English

Important Safety Information

Product Safety and RF Exposure Compliance



Before using this product, read the operating instructions for safe usage contained in the Product Safety and RF Exposure booklet Caution enclosed with your radio.

ATTENTION!

This radio is restricted to occupational use only to satisfy FCC RF energy exposure requirements. Before using this product, read the RF energy awareness information and operating instructions in the Product Safety and RF Exposure booklet enclosed with your radio (Motorola Publication part number 6804110J47) to ensure compliance with RF energy exposure limits.

For a list of Motorola-approved antennas, batteries, and other accessories, visit the following website:

http://www.motorolasolutions.com/governmentandenterprise

Software Version

All the features described in the following sections are supported by the radio's software version R02.04.00.

See Checking the Firmware Version and Codeplug Version on page 97 to determine your radio's software version.

Check with your dealer or system administrator for more details of all the features supported.

vi

Computer Software Copyrights

The Motorola products described in this manual may include copyrighted Motorola computer programs stored in semiconductor memories or other media. Laws in the United States and other countries preserve for Motorola certain exclusive rights for copyrighted computer programs including, but not limited to, the exclusive right to copy or reproduce in any form the copyrighted computer program. Accordingly, any copyrighted Motorola computer programs contained in the Motorola products described in this manual may not be copied, reproduced, modified, reverse-engineered, or distributed in any manner without the express written permission of Motorola. Furthermore, the purchase of Motorola products shall not be deemed to grant either directly or by implication, estoppel, or otherwise, any license under the copyrights, patents or patent applications of Motorola, except for the normal non-exclusive license to use that arises by operation of law in the sale of a product.

The AMBE+2TM voice coding Technology embodied in this product is protected by intellectual property rights including patent rights, copyrights and trade secrets of Digital Voice Systems, Inc.

This voice coding Technology is licensed solely for use within this Communications Equipment. The user of this Technology is explicitly prohibited from attempting to decompile, reverse engineer, or disassemble the Object Code, or in any other way convert the Object Code into a human-readable form.

U.S. Pat. Nos. #5,870,405, #5,826,222, #5,754,974, #5,701,390, #5,715,365, #5,649,050, #5,630,011, #5,581,656, #5,517,511, #5,491,772, #5,247,579, #5,226,084 and #5,195,166.

vii

Handling Precautions

The MOTOTRBO Series Digital Portable radio meets IP57 specifications, allowing the radio to withstand adverse field conditions such as being submersed in water.

- If the radio has been submersed in water, shake the radio well to remove any water that may be trapped inside the speaker grille and microphone port. Trapped water could cause decreased audio performance.
- If the radio's battery contact area has been exposed to water, clean and dry battery contacts on both the radio and the battery before attaching the battery to the radio. The residual water could short-circuit the radio.
- If the radio has been submersed in a corrosive substance (e.g. saltwater), rinse the radio and battery in fresh water then dry the radio and battery.
- To clean the exterior surfaces of the radio, use a diluted solution of mild dishwashing detergent and fresh water (i.e. one teaspoon of detergent to one gallon of water).

- Never poke the vent (hole) located on the radio chassis below the battery contact. This vent allows for pressure equalization in the radio. Doing so may create a leak path into the radio and the radio's submersibility may be lost.
- Never obstruct or cover the vent, even with a label.
- Ensure that no oily substances come in contact with the vent.
- The radio with antenna attached properly is designed to be submersible to a maximum depth of 1 meter (3.28 feet) and a maximum submersion time of 30 minutes. Exceeding either maximum limit or use without antenna may result in damage to the radio.
- When cleaning the radio, do not use a high pressure jet spray on the radio as this will exceed the 1 meter depth pressure and may cause water to leak into the radio.



Caution

Do not disassemble the radio. This could damage radio seals and result in leak paths into the radio. Radio maintenance should only be done in service depot that is equipped to test and replace the seal on the radio.

Getting Started

Take a moment to review the following:

How to Use This Guide page 1	
What Your Dealer/System Administrator	
Can Tell You page 1	

How to Use This Guide

This User Guide covers the basic operation of the MOTOTRBO Portables.

However, your dealer or system administrator may have customized your radio for your specific needs. Check with your dealer or system administrator for more information.

Throughout this publication, the icons below are used to indicate features supported in either the conventional Analog mode or conventional Digital mode:



Indicates a conventional Analog Mode-Only feature.



Indicates a conventional Digital Mode-Only feature.

For features that are available in **both** conventional Analog and Digital modes, **no** icon is shown.

For features that are available in a conventional multi-site mode, see *IP Site Connect* on page 13 for more information.

Selected features are **also** available on the single-site trunking mode, Capacity Plus. See *Capacity Plus* on page 14 for more information.

Selected features are **also** available in the multi-site trunking mode, Linked Capacity Plus. See *Linked Capacity Plus* on page 14 for more information.

What Your Dealer/System Administrator Can Tell You

You can consult your dealer or system administrator about the following:

- Is your radio programmed with any preset conventional channels?
- Which buttons have been programmed to access other features?
- What optional accessories may suit your needs?
- What are the best radio usage practices for effective communication?
- What maintenance procedures will help promote longer radio life?

Preparing Your Radio for Use

Assemble your radio by following these steps:

Charging the Battery page 2
Attaching the Battery page 3
Attaching the Antenna page 3
Attaching the Belt Clip page 4
Attaching the Universal Connector
Cover (Dust Cover)
Powering Up the Radio page 5
Adjusting the Volume page 6

Charging the Battery

For best performance, your radio is powered by a Motorola-approved Nickel Metal-Hydride (NiMH) or Lithium-Ion (Li-Ion) battery. To avoid damage and comply with warranty terms, charge the battery using a Motorola charger *exactly* as described in the charger user guide.


Charge a new battery 14 to 16 hours before initial use for best performance.


IMPORTANT: ALWAYS charge your IMPRES battery with an IMPRES charger for optimized battery life and valuable battery data.

Preparing Your Radio for Use

Attaching the Battery

Align the battery with the rails on the back of the radio. Press the battery firmly, and slide upward until the latch snaps into place. Slide battery latch into lock position.






To remove the battery, turn the radio off. Move the battery latch into unlock position and hold, and slide the battery down and off the rails.

Attaching the Antenna

With the radio turned off, set the antenna in its receptacle and turn clockwise.



To remove the antenna, turn the antenna counterclockwise.



If antenna needs to be replaced, ensure that only MOTOTRBO antennas are used. Neglecting this will damage your radio.

Attaching the Belt Clip

Align the grooves on the clip with those on the battery and press downward until you hear a click.

To remove the clip, press the belt clip tab away from the battery. Using a key may be helpful. Then slide the clip upward and away from the radio.



Attaching the Universal Connector Cover (Dust Cover)

The universal connector is located on the antenna side of the radio. It is used to connect MOTOTRBO accessories to the radio.



Insert the hooked end of the cover into the slots above the universal connector. Press downward on the cover to seat the lower tab properly into the RF connector.

Turn the thumbscrew clockwise to secure the connector cover to the radio.

To remove the universal

connector cover, press down on the cover and turn the thumbscrew counterclockwise.

Replace the dust cover when the universal connector is not in use.

Powering Up the Radio

Rotate the On/Off/Volume

Control Knob clockwise until you hear a click. You see MOTOTRBO (TM) on the radio's display momentarily, followed by a welcome message or welcome image.

The LED lights up solid

setting is set to turn on

automatically.

green and the Home screen lights up if the backlight

IJЧ

NOTE: The Home screen does not light up during a power up if the LED indicator is disabled (see *Turning the LED Indicator On or Off* on page 91).

A brief tone sounds, indicating that the power up test is successful.

NOTE: There is no power up tone if the radio tones/alerts function is disabled (see *Turning the Radio Tones/ Alerts On or Off* on page 85).

If your radio does not power up, check your battery. Make sure that it is charged and properly attached. If your radio still does not power up, contact your dealer.


To turn off the radio, rotate this knob counterclockwise until you hear a click. You see a brief *Powering Down* on the radio's display.

Adjusting the Volume

To increase the volume, turn the **On/Off/Volume Control Knob** clockwise.

To decrease the volume, turn this knob counterclockwise.

NOTE: Your radio can be programmed to have a minimum volume offset where the volume level cannot be turned past the programmed minimum volume. Check with your




dealer or system administrator for more information.

Identifying Radio Controls

Take a moment to review the following:

Radio Controls



- Channel Selector Knob*
- 2 On/Off/Volume Control Knob
- 3 LED Indicator

- Side Button 1** Δ Push-to-Talk (PTT) Button 5 Side Button 2** 6 Side Button 3** Front Button P1** 8 Menu/OK Button 9 4-Way Navigation Button G[I) Keypad " Back/Home Button 12 Front Button P2** **1**3 Display (14) Microphone **(15**) Speaker **(16)** Universal Connector for Accessories 17 Emergency Button** (18)
- 19 Antenna
 - * Display radios have a continuous-rotary Channel Selector Knob
 - ** These buttons are programmable.

Programmable Buttons

Your dealer can program the programmable buttons as shortcuts to **radio functions** or **preset channels/groups** depending on the duration of a button press:

- Short press Pressing and releasing rapidly.
- Long press Pressing and holding for the programmed duration.
- Hold down Keeping the button pressed.
- **NOTE:** The programmed duration of a button press is applicable for all assignable radio/utility functions or settings. See *Emergency Operation* on page 55 for more information on the programmed duration of the *Emergency* button.

Assignable Radio Functions

BluetoothTM **Audio Switch** – Toggles audio routing between internal radio speaker and external Bluetooth-enabled accessory.

Contacts – Provides direct access to the contacts list.

Call Alert – Provides direct access to the contacts list for you to select a contact to whom a Call Alert can be sent.

Call Forwarding - Toggles Call Forwarding on or off.

8 Call Log – Selects the call log list.

Voice Announcement for Channel – Plays zone and channel announcement voice messages for the current channel. This function is unavailable when Voice Announcement is disabled.

Emergency – Depending on the programming, initiates or cancels an emergency alarm or call.

Intelligent Audio On/Off - Toggles Intelligent Audio on or off.

Manual Dial — Initiates a call by keying in any subscriber ID.

Manual Site Roam*[‡] 👧 – Starts the manual site search.

Mic AGC On/Off – Toggles the internal microphone automatic gain control (AGC) on or off. Not applicable during a Bluetooth session.

Monitor – Monitors a selected channel for activity.

Nuisance Channel Delete*[‡] – Temporarily removes an unwanted channel, except for the Selected Channel, from the scan list. The Selected Channel refers to the user's selected zone/channel combination from which scan is initiated.

One Touch Access – Directly initiates a predefined Private or Group Call, a Call Alert or a Quick Text message.

Option Board Feature – Toggles option board feature(s) on or off for option board-enabled channels.

* Not applicable in Capacity Plus [‡] Not applicable in Linked Capacity Plus

Identifying Radio Controls

Permanent Monitor^{*‡} – Monitors a selected channel for all radio traffic until function is disabled.

Privacy (III) – Toggles privacy on or off.

Radio Alias and ID – Provides radio alias and ID.

Radio Check 🧑 – Determines if a radio is active in a system.

Radio Enable — Allows a target radio to be remotely enabled.

Radio Disable — Allows a target radio to be remotely disabled.

Remote Monitor — Turns on the microphone of a target radio without it giving any indicators.

Repeater/Talkaround*[‡] – Toggles between using a repeater and communicating directly with another radio.

Scan*[‡] – Toggles scan on or off.

Site Lock On/Off* 🙆 – Toggles the automatic site roam on or off.

Status – Selects the status list menu.

Telemetry Control — Controls the Output Pin on a local or remote radio.

Text Message – Selects the text message menu.

Transmit Interrupt Remote Dekey — Stops the transmission of a remote monitored radio without giving any indicators, or an ongoing interruptible call to free the channel.

Voice Announcement On/Off – Toggles Voice Announcement on or off.

Voice Operating Transmission (VOX) – Toggles VOX on or off.

Zone – Allows selection from a list of zones.

* Not applicable in Capacity Plus [‡] Not applicable in Linked Capacity Plus

Assignable Settings or Utility Functions

All Tones/Alerts – Toggles all tones and alerts on or off.

Backlight On/Off – Toggles display backlight on or off.

Backlight Brightness – Adjusts the brightness level.

Display Mode – Toggles the day/night display mode on or off.

Keypad Lock – Toggles keypad between locked and unlocked.

Squelch (m) – Toggles squelch level between tight and normal.

Using the 4-Way Navigation Button

You can use the 4-way navigation button, C, to scroll through options, increase/decrease values, and navigate vertically.

Category	▲ or ▼	I or I
Menu	Vertical Navigation	-
Lists	Vertical Navigation	-
View Details	Vertical Navigation	Previous/Next Item

You can use the 4-way navigation button, ①, as a number, alias, or free form text editor.

Editor Category	▲ or ▼	I or I			
Number	-	Left: Delete last digit Right: –			
Alias	-	Move cursor one character left/right			
Free Form Text	Move cursor up/ down	Move cursor one character left/right			
Numeric Values	Increase/Decrease	-			

Accessing the Programmed Functions

You can access various radio functions through one of the following ways:

 A short or long press of the relevant programmable buttons.

OR



- Use the 4-way navigation button as follows:
- 1 To access the menu, press the button. Press the appropriate direction of the to access the menu functions.
- 2 To select a function or enter a sub-menu, press the button.
- 3 To go back one menu level, or to return to the previous screen, press the button. Long press the button to return to the Home screen.
- **NOTE:** Your radio automatically exits the menu after a period of inactivity and returns to your Home screen.


Using the Keypad

You can use the 3 x 4 alphanumeric keypad to access your radio's features. You can use the keypad to enter subscriber aliases or IDs, and text messages. Many characters require that you press a key multiple times. The table below shows the number of times a key needs to be pressed to generate the required character.

		Number of Times Key is Pressed											
Key	1	2	3	4	5	6	7	8	9	10	11	12	13
1,.?	1		,	?	!	@	&	6	%	-	:	*	#
2 ABC	А	В	С	2									
3 DEF	D	Е	F	3									
(4 GHI)	G	Н	I	4									
5 јкl	J	К	L	5									
6 MNO	М	Ν	0	6									
7 PORS	Р	Q	R	S	7								
8 TUV	Т	U	V	8									
9 wxyz	W	Х	Y	Z	9								
0 \Diamond	0	NOTE: Press to enter "0" and long press to activate the CAPS lock. Another long press to turn off the CAPS lock.											
(★∢	* or del	NOTE: Press during text entry to delete the character. Press during numeric entry to enter a "*".											
(# <u>"</u>	# or space	NOTE: Press during text entry to insert a space. Press during numeric entry to enter a "#".											

Push-To-Talk (PTT) Button

The **PTT** button on the side of the radio serves two basic purposes:



• While a call is in progress, the **PTT** button allows the radio to transmit to other radios in the call.

Press and hold down **PTT** button to talk. Release the **PTT** button to listen.

The microphone is activated when the **PTT** button is pressed.

• While a call is not in progress, the **PTT** button is used to make a new call (see *Making a Radio Call* on page 27).


If the Talk Permit Tone (see Turning the Talk Permit Tone On

or Off on page 87) or the PTT Sidetone mise is enabled, wait until the short alert tone ends before talking.

- During a call, if the Channel Free Indication feature is enabled on your radio (programmed by your dealer), you hear a short alert tone the moment the target radio (the radio that is receiving your call) releases the **PTT** button, indicating the channel is free for you to respond.
- You will also hear a continuous talk prohibit tone, if your call is interrupted, indicating that you should release the PTT button, for example when the radio receives an Emergency Call.

Switching Between Conventional Analog and Digital Mode

Each channel in your radio can be configured as a conventional analog or conventional digital channel. Use the Channel Selector Knob to switch between an analog or a digital channel.



When switching from digital to analog mode, certain features are unavailable. Icons for the digital features (such as Messages) reflect this change by appearing 'grayed out'. Disabled features are hidden in the menu.

Your radio also has features available in both analog and digital mode. However, the minor differences in the way each feature works does **NOT** affect the performance of your radio.

NOTE: Your radio also switches between digital and analog modes during a dual mode scan (see *Scan* on page 41).

IP Site Connect

This feature allows your radio to extend conventional communication beyond the reach of a single site, by connecting to different available sites which are connected via an Internet Protocol (IP) network.

When the radio moves out of range from one site and into the range of another, it connects to the new site's repeater to send or receive calls/data transmissions. Depending on your settings, this is done automatically or manually.

If the radio is set to do this automatically, it scans through all available sites when the signal from the current site is weak or when the radio is unable to detect any signal from the current site. It then locks on to the repeater with the strongest Received Signal Strength Indicator (RSSI) value.

In a manual site search, the radio searches for the next site in the roam list that is currently in range (but which may not have the strongest signal) and locks on to it.

NOTE: Each channel can only have either Scan or Roam enabled, not both at the same time.

Channels with this feature enabled can be added to a particular roam list. The radio searches the channel(s) in the roam list during the automatic roam operation to locate the best site.

A roam list supports a maximum of 16 channels (including the Selected Channel).

NOTE: You cannot manually add or delete an entry to the roam list. Check with your dealer or system administrator for more information.

Capacity Plus

Capacity Plus is a single-site trunking configuration of the MOTOTRBO radio system, which uses a pool of channels to support hundreds of users and up to 254 Groups. This feature allows your radio to efficiently utilize the available number of programmed channels while in Repeater Mode.

Icons of features not applicable to Capacity Plus are not available in the menu. You hear a negative indicator tone if you try to access a feature not applicable to Capacity Plus via a programmable button press.

Your radio also has features that are available in conventional digital mode, IP Site Connect, Capacity Plus and Linked Capacity Plus. However, the minor differences in the way each feature works does **NOT** affect the performance of your radio.

Check with your dealer or system administrator for more information on this configuration.

🛭 Linked Capacity Plus 🐽

Linked Capacity Plus is a multi-site multi-channel trunking configuration of the MOTOTRBO radio system, combining the best of both Capacity Plus and IP Site Connect configurations.

Linked Capacity Plus allows your radio to extend trunking communication beyond the reach of a single site, by connecting to different available sites which are connected via an Internet Protocol (IP) network. It also provides an increase in capacity by efficiently utilizing the combined available number of programmed channels supported by each of the available sites.

When the radio moves out of range from one site and into the range of another, it connects to the new site's repeater to send or receive calls/data transmissions. Depending on your settings, this is done automatically or manually.

If the radio is set to do this automatically, it scans through all available sites when the signal from the current site is weak or when the radio is unable to detect any signal from the current site. It then locks on to the repeater with the strongest Received Signal Strength Indicator (RSSI) value.

In a manual site search, the radio searches for the next site in the roam list that is currently in range (but which may not have the strongest signal) and locks on to it.

Any channel with Linked Capacity Plus enabled can be added to a particular roam list. The radio searches these channels during the automatic roam operation to locate the best site.

Identifying Status Indicators

NOTE: You cannot manually add or delete an entry to the roam list. Check with your dealer or system administrator for more information.

Similar to Capacity Plus, icons of features not applicable to Linked Capacity Plus are not available in the menu. You hear a negative indicator tone if you try to access a feature not applicable to Linked Capacity Plus via a programmable button press.

Check with your dealer or system administrator for more information on this configuration.

Identifying Status Indicators

Your radio indicates its operational status through the following:					
Display Iconspage 16					
Call Icons					
Advanced Menu Iconspage 18					
Mini Notice Iconspage 18					
Sent Item Iconspage 19					
Bluetooth Device Iconspage 19					
LED Indicator					
Audio Tones					
Indicator Tonespage 21					

Display Icons

The 132 x 90 pixels, 256 colors, liquid crystal display (LCD) of your radio shows radio status, text entries, and menu entries.

The following are icons that appear on the status bar at the top of the radio's display. Icons are displayed on the status bar, arranged left-to-right, in order of appearance/usage and are channel specific.



\$

Received Signal Strength Indicator (RSSI)

The number of bars displayed represents the radio signal strength. Four bars indicate the strongest signal. This icon is only displayed while receiving.

Battery

The number of bars (0 - 4) shown indicates the charge remaining in the battery.

Blinks when the battery is low.

Bluetooth

The Bluetooth feature is enabled but there is no remote Bluetooth device connected.

Bluetooth Connected

The Bluetooth feature is enabled. The icon stays lit when one or more remote Bluetooth devices are connected.



Emergency

Radio is in Emergency mode.



Notification

Scan*[‡]

Notification List has one or more missed events.



Scan feature is enabled.



Scan – Priority 1*[‡]

Radio detects activity on channel/group designated as Priority 1).



Scan – Priority 2*[‡]

Radio detects activity on channel/group designated as Priority 2.

Vote Scan


Vote scan feature is enabled.

Monitor

Selected channel is being monitored.



Talkaround*[‡]





Site Roaming* 📵

The site roaming feature is enabled.



Secure 📵

The Privacy feature is enabled.

* Not applicable in Capacity Plus [‡] Not applicable in Linked Capacity Plus

English



The Privacy feature is disabled.

GPS Available 📵

The GPS feature is enabled. The icon stays lit when a position fix is available.



GPS Not Available/Out of Range 📵

The GPS feature is enabled but is not receiving data from the satellite.



Option Board

The Option Board is enabled.



Option Board Non-Function The Option Board is disabled.



Tones Disable Tones are turned off.

Power Level Radio is set at Low power.



Radio is set at High power.

* Not applicable in Capacity Plus [‡] Not applicable in Linked Capacity Plus

Call Icons

The following icons appear on the radio's display during a call. These icons also appear in the Contacts list to indicate ID type.



Private Call

Indicates a Private Call in progress.

In the Contacts list, it indicates a subscriber alias (name) or ID (number).



Group Call/All Call

Indicates a Group Call or All Call in progress.

In the Contacts list, it indicates a group alias (name) or ID (number).

Advanced Menu Icons

The following icons appear beside menu items that offer a choice between two options or as an indication that there is a sub-menu offering two options.



Checkbox (Empty)

Indicates the option is not selected.



Checkbox (Checked)

Indicates the option is selected.

Solid Black Box

Indicates the option selected for the menu item with a sub-menu.

Mini Notice Icons

The following icons appear momentarily on the radio's display after an action to perform task is taken.



Successful Transmission (Positive) Successful action taken.



Failed Transmission (Negative)

Failed action taken.



Transmission in Progress (Transitional)

Transmitting. This dynamic icon is seen before indication for Successful Transmission or Failed Transmission.

Sent Item Icons 🙆

The following icons appear in the Sent Items folder.



Sent Successfully

The text message is sent successfully.



Send Failed The text message cannot be sent.

In-Progress



- The text message to a subscriber alias or ID is pending transmission, followed by waiting for acknowledgement.
- The text message to a group alias or ID is pending transmission.

Bluetooth Device Icons

The following icons also appear next to items in the list of Bluetooth-enabled devices available to indicate the device type.



Bluetooth Data Device Bluetooth-enabled data device, such as a scanner.



Bluetooth Audio Device

Bluetooth-enabled audio device, such as a headset.




Bluetooth PTT Device

Bluetooth-enabled PTT device, such as a PTT-Only Device (POD).

LED Indicator

The LED indicator shows the operational status of your radio.



Blinking red – Radio is transmitting at low battery condition, receiving an emergency transmission or has failed the self-test upon powering up.

Solid green – Radio is powering up, or transmitting.

Blinking green – Radio is receiving a non-privacy-enabled call or data, or detecting activity over the air.

Double blinking green – Radio is receiving a privacy-enabled call or data (n).


 $\label{eq:solid_solution} \textbf{Solid yellow} - \textbf{Radio is monitoring a conventional channel}.$

Blinking yellow – Radio is scanning for activity or receiving a Call Alert, or all local Linked Capacity Plus channels are busy.

Double blinking yellow – Radio is no longer connected to the repeater while in Capacity Plus or Linked Capacity Plus, all Capacity Plus channels or Linked Capacity Plus channels are currently busy, Auto Roaming is enabled, radio is actively searching for a new site. Also indicates radio has yet to respond to a group call alert, or radio is locked.

NOTE: While in conventional mode, when the LED blinks green, it indicates the radio detects activity over the air. Due to the nature of the digital protocol, this activity may or may not affect the radio's programmed channel.

For Capacity Plus and Linked Capacity Plus, there is no LED indication when the radio is detecting activity over the air.



21

Momentary Tone Sounds only once for a short period of time defined by the radio.

Making and Receiving Calls

Once you understand how your MOTOTRBO Portable is configured, you are ready to use your radio.

Use this navigation guide to familiarize yourself with the basic Call features:

Selecting a Zone
Selecting a Radio Channel, Subscriber ID,
or Group ID
Receiving and Responding to a Radio Call page 24
Making a Radio Call page 27
Stopping a Radio Call page 31
Talkaround page 32
Monitoring Features page 33

Selecting a Zone

A zone is a group of channels. Your radio supports up to 1000 channels and 250 zones, with a maximum of 160 channels per zone.

Use the following procedure to select a zone.

Procedure:

Press the programmed Zone button and proceed to Step 3.

OR

Follow the procedure below.

- to access the menu.
- 2 ▲ or ▼ to Zone and press 🐻 to select.
- 3 The current zone is displayed and indicated by a \checkmark .
- 4 ▲ or ▼ to the required zone and proceed to Step 7.
 OR

Key in the first character of the required zone.

Press b to move one space to the right.

Press the *DEL key to delete any unwanted characters.

6 The first line of the display shows the characters you keyed in. The next lines of the display show the shortlisted search

22

alls

0

English


results.

The alias search is case-insensitive. If there are two or more zones with the same name, the radio displays the zone that is listed first in the zone list.

- 7 Press 🕷 to select.
- 8 The display shows <Zone > Selected momentarily and returns to the selected zone screen.

Selecting a Channel

Transmissions are sent and received on a channel. Depending on your radio's configuration, each channel may have been programmed differently to support different groups of users or supplied with different features. After selecting the required zone, select the channel you require to transmit or receive on.




Procedure:

Turn the Channel Selector Knob to select the channel with the active group alias or ID.

Receiving and Responding to a Radio Call

Once the channel, subscriber ID or group ID is displayed, you can proceed to receive and respond to calls.

The LED lights up solid green while the radio is transmitting and blinks green when the radio is receiving.



NOTE: The LED lights up solid green while the radio is transmitting and double blinks green when the radio is receiving a privacy-enabled call.

To unscramble a privacy-enabled call, your radio must have the same Privacy Key, OR the same Key Value and Key ID (programmed by your dealer), as the transmitting radio (the radio you are receiving the call from).

See Privacy on page 73 for more information.

Receiving and Responding to a Group Call

To receive a call made to a group of users, your radio must be configured as part of that group.

Procedure:

When you receive a Group Call (while on the Home screen):

- The LED blinks green.
- 2 The Group Call icon appears in the top right corner. The first text line shows the caller alias. The second text line displays the group call alias. Your radio unmutes and the incoming call sounds through the radio's speaker.
- 3 To respond, hold the radio vertically 1 to 2 inches (2.5 to 5.0 cm) from your mouth.
- 4 (1) If the Channel Free Indication feature is enabled, you hear a short alert tone the moment the transmitting radio releases the **PTT** button, indicating the channel is free for you to respond.

Press the PTT button to respond to the call.

OR

If the Voice Interrupt feature is enabled, press the **PTT** button to stop the current call from the transmitting radio and free the channel for you to talk/respond.

- 5 The LED lights up solid green.
- 6 Wait for the Talk Permit Tone to finish (if enabled) and speak clearly into the microphone.

OR

Wait for the **PTT** Sidetone to finish (if enabled) and speak clearly into the microphone.

- 7 Release the PTT button to listen.
- 8 If there is no voice activity for a predetermined period of time, the call ends.

See **Making a Group Call** on page 27 for details on making a Group Call.

🗍 Receiving and Responding to a Private Call 👩

A Private Call is a call from an individual radio to another individual radio.

Procedure:

When you receive a Private Call:

- 1 The LED blinks green.
- 2 The Private Call icon appears in the top right corner. The first text line shows the caller alias. Your radio unmutes and the incoming call sounds through the radio's speaker.
- 3 To respond, hold the radio vertically 1 to 2 inches (2.5 to 5.0 cm) from your mouth.

4 If the Channel Free Indication feature is enabled, you hear a short alert tone the moment the transmitting radio releases the **PTT** button, indicating the channel is free for you to respond.

Press the PTT button to respond to the call.

OR

If the Voice Interrupt feature is enabled, press the **PTT** button to stop the current call from the transmitting radio and free the channel for you to talk/respond.

- 5 The LED lights up solid green.
- 6 Wait for the Talk Permit Tone to finish (if enabled) and speak clearly into the microphone.
- 7 Release the PTT button to listen.
- 8 If there is no voice activity for a predetermined period of time, the call ends.
- 9 You hear a short tone. The display shows Call Ended.

See **Making a Private Call** on page 28 for details on making a Private Call.

Receiving an All Call

An All Call is a call from an individual radio to every radio on the channel. It is used to make important announcements requiring the user's full attention.

Procedure:

When you receive an All Call:

- 1 A tone sounds and the LED blinks green.
- 2 The Group Call icon appears in the top right corner. The first text line shows the caller alias. The second text line displays All Call. Your radio unmutes and the incoming call sounds through the radio's speaker.
- 3 Once the All Call ends, the radio returns to the previous screen before receiving the call. An All Call does not wait for a predetermined period of time before ending.

If the Channel Free Indication feature is enabled, you hear a short alert tone the moment the transmitting radio releases the **PTT** button, indicating the channel is now available for use.

You cannot respond to an All Call.

See **Making an All Call** on page 29 for details on making an All Call.

NOTE: The radio stops receiving the All Call if you switch to a different channel while receiving the call. During an All Call, you are **not** able to use any programmed button functions until the call ends.

Receiving and Responding to a Selective Call 혬

A Selective Call is a call from an individual radio to another individual radio. It is a Private Call on an analog system.

Procedure:

When you receive a Selective Call:

1 The LED blinks green.

- 2 The Private Call icon appears in the top right corner. The first text line shows the caller alias or Selective Call or Alert with Call. Your radio unmutes and the incoming call sounds through the radio's speaker.
- 3 To respond, hold the radio vertically 1 to 2 inches (2.5 to 5.0 cm) from your mouth.
- 4 If the Channel Free Indication feature is enabled, you hear a short alert tone the moment the transmitting radio releases the **PTT** button, indicating the channel is free for you to respond.

Press the PTT button to respond to the call.

- 5 The LED lights up solid green.
- 6 Wait for the Talk Permit Tone to finish (if enabled) and speak clearly into the microphone.
- 7 Release the **PTT** button to listen.
- 8 If there is no voice activity for a predetermined period of time, the call ends.
- 9 You hear a short tone. The display shows Call Ended.
- **NOTE:** See *Making a Selective Call* on page 29 for details on making a Private Call.

Making a Radio Call

After selecting your channel, you can select a subscriber alias or ID, or group alias or ID by using:

- The Channel Selector Knob
- A programmed One Touch Access button
- The programmed number keys This method is for Group, Private and All Calls only and is used with the keypad (see *Making a Group, Private or All Call with the*

Programmable Number Key on page 30).

- The Contacts list (see Contacts Settings on page 44)
- Manual Dial (via Contacts) This method is for Private Calls only and is dialed using the keypad (see *Making a Private*

Call from Contacts on page 45.

NOTE: Your radio must have the Privacy feature enabled on the channel to send a privacy-enabled transmission. Only target radios with the same Privacy Key OR the same Key Value and Key ID as your radio are able to unscramble the transmission.

See *Privacy* on page 73 for more information.

The One Touch Access feature allows you to make a Group or Private Call to a predefined ID easily. This

feature can be assigned to a short or long programmable button press.You can **ONLY** have one ID assigned to a **One Touch Access** button. Your radio can have multiple **One Touch Access** buttons programmed.

Making a Call with the Channel Selector Knob

Making a Group Call

To make a call to a group of users, your radio must be configured as part of that group.

Procedure:

 Select the channel with the active group alias or ID. See Selecting a Channel on page 23.
 OR

Press the programmed **One Touch Access** button.

- 2 Hold the radio vertically 1 to 2 inches (2.5 to 5.0 cm) from your mouth.
- 3 Press the PTT button to make the call. The LED lights up solid green. The Group Call icon appears in the top right corner. The first text line shows the group call alias.
- Wait for the Talk Permit Tone to finish (if enabled) and speak clearly into the microphone.
 OR

Wait for the PTT Sidetone to finish (if enabled) and speak clearly into the microphone.

- 5 Release the PTT button to listen. When the target radio responds, the LED blinks green. You see the Group Call icon, the group alias or ID, and transmitting radio alias or ID on your display.
- 6 If the Channel Free Indication feature is enabled, you hear a short alert tone the moment the target radio releases the PTT button, indicating the channel is free for you to respond. Press the PTT button to respond.

OR

If there is no voice activity for a predetermined period of time, the call ends.

Radio returns to the screen you were on prior to initiating the call.

You can also make a Group Call via Contacts (see **Making a Group Call from Contacts** on page 44).

🗍 Making a Private Call 📵

While you can receive and/or respond to a Private Call initiated by an authorized individual radio, your radio must be programmed for you to initiate a Private Call.

There are two types of Private Calls. The first type, where a radio presence check is performed prior to setting up the call, while the other sets up the call immediately.

Only **one** of these call types can be programmed to your radio by your dealer.

You hear a negative indicator tone, when you make a Private Call via the Contacts list, Call Log, **One Touch Access** button, the programmed number keys, or the Channel Selector Knob, if this feature is not enabled.

Use the Text Message or Call Alert features to contact an individual radio. See *Text Message Features* on page 60 or *Call Alert Operation* on page 53 for more information.

Procedure:

- Select the channel with the active subscriber alias or ID. See Selecting a Channel on page 23.
 OR Press the programmed One Touch Access button.
- 2 Hold the radio vertically 1 to 2 inches (2.5 to 5.0 cm) from your mouth.
- 3 Press the PTT button to make the call. The LED lights up solid green. The Private Call icon appears in the top right corner. The first text line shows the subscriber alias. The second text line displays the call status.
- 4 Wait for the Talk Permit Tone to finish (if enabled) and speak clearly into the microphone.
- 5 Release the PTT button to listen. When the target radio responds, the LED blinks green.
- 6 If the Channel Free Indication feature is enabled, you hear a short alert tone the moment the target radio releases the PTT button, indicating the channel is free for you to respond.

Press the **PTT** button to respond. **OR**

If there is no voice activity for a predetermined period of time, the call ends.

7 You hear a short tone. The display shows Call Ended.

You can also make a Private Call via Contacts (see **Making a Private Call from Contacts** on page 45) or perform a quick alphanumeric search for the required alias via a keypad entry (see **Making a Call by Alias Search** on page 46).

NOTE: If you release the **PTT** button while the radio is setting up the call, it exits without any indication and returns to the previous screen.

Your radio may be programmed to perform a radio presence check prior to setting up the Private Call. If the target radio is not available, you hear a short tone and see negative mini notice on the display.

The radio returns to the menu prior to initiating the radio presence check.

🗍 Making an All Call

This feature allows you to transmit to all users on the channel. Your radio must be programmed to allow you to use this feature.

Procedure:

- Select the channel with the active All Call group alias or ID. See Selecting a Channel on page 23.
- 2 Hold the radio vertically 1 to 2 inches (2.5 to 5.0 cm) from your mouth.
- 3 Press the PTT button to make the call. The LED lights up solid green. The Group Call icon appears in the top right corner. The first text line shows All Call.
- 4 Wait for the Talk Permit Tone to finish (if enabled) and speak clearly into the microphone. OR

(f) Wait for the **PTT** Sidetone to finish (if enabled) and speak clearly into the microphone.

Users on the channel cannot respond to an All Call.

🗍 Making a Selective Call 🔞

Just like a Private Call, while you can receive and/or respond to a Selective Call initiated by an authorized individual radio, your radio must be programmed for you to initiate a Selective Call.

Procedure:

 Select the channel with the active subscriber alias or ID. See *Selecting a Channel* on page 23.

- 2 Hold the radio vertically 1 to 2 inches (2.5 to 5.0 cm) from your mouth.
- 3 Press the PTT button to make the call. The LED lights up solid green. The Private Call icon appears in the top right corner. The first text line shows the subscriber alias. The second text line displays the call status.
- 4 Wait for the Talk Permit Tone to finish (if enabled) and speak clearly into the microphone.

OR

Wait for the **PTT** Sidetone to finish (if enabled) and speak clearly into the microphone.

5 Release the PTT button to listen. When the target radio responds, the LED blinks green.

If the Channel Free Indication feature is enabled, you hear a short alert tone the moment the target radio releases the **PTT** button, indicating the channel is free for you to respond. Press the **PTT** button to respond.

OR

If there is no voice activity for a predetermined period of time, the call ends.

7 You hear a short tone. The display shows Call Ended.

Making a Group, Private or All Call with the

Programmable Number Key 🐽

The Programmable Number Key feature allows you to make a Group, Private or All Call to a predefined alias or ID easily. This feature can be assigned to all the available number keys on a keypad.

You can **ONLY** have one alias or ID assigned to a number key, but you can have more than one number key associated to an alias or ID.

Procedure:

When you are on the Home screen:

- Long press the programmed number key to make a Group, Private or All Call to the predefined alias or ID.
 If the number key is not associated to an entry, a negative indicator tone sounds.
- 2 Hold the radio vertically 1 to 2 inches (2.5 to 5.0 cm) from your mouth.
- 3 Press the **PTT** button to make the call. The LED lights up solid green. The Group/Private Call icon appears in the top right corner. The first text line shows the caller alias. The second text line displays either the call status for a Private Call or All Call for All Call.

Wait for the Talk Permit Tone to finish (if enabled) and speak clearly into the microphone.
 OR

For Group Call only: Wait for the **PTT** Sidetone to finish (if enabled) and speak clearly into the microphone.

- 5 Release the **PTT** button to listen. When the target radio responds, the LED blinks green.
- 6 If the Channel Free Indication feature is enabled, you hear a short alert tone the moment the target radio releases the PTT button, indicating the channel is free for you to respond. Press the PTT button to respond.

OR

If there is no voice activity for a predetermined period of time, the call ends.

7 Radio returns to the screen you were on prior to initiating the call.

For a Private Call, you hear a short tone when the call ends.

See **Assigning an Entry to a Programmable Number Key** on page 47 for details on assigning an entry to a number key on the keypad.

Stopping a Radio Call 📵

This feature allows you to stop an ongoing Group or Private Call to free the channel for transmission. For example, when a radio experiences a "stuck microphone" condition where the **PTT** button is inadvertently pressed by the user.

Your radio must be programmed to allow you to use this feature.

Procedure:

While on the required channel:

- 1 Press the programmed **Transmit Interrupt Remote Dekey** button.
- 2 The display shows Remote Dekey.
- 3 Wait for acknowledgment.
- 4 The radio sounds a positive indicator tone and the display shows Remote Dekey Success, indicating that the channel is now free.

OR

The radio sounds a negative indicator tone and the display shows Remote Dekey Failed.

On the interrupted radio, the display shows *Call Interrupted* and your radio sounds a negative indicator tone until you release the **PTT** button, if it is transmitting an interruptible call that is stopped via this feature.

Talkaround

You can continue to communicate when your repeater is not operating, or when your radio is out of the repeater's range but within talking range of other radios.

This is called "talkaround".

NOTE: This feature is not applicable in Capacity Plus and Linked Capacity Plus.

Procedure:

Press the programmed **Repeater/Talkaround** button to toggle between talkaround and repeater modes.

OR

2

3

Follow the procedure below.

- 1 to access the menu.
 - ▲ or ▼ to Utilities and press to select.
 - or \checkmark to Radio Settings and press $\textcircled{\mathbb{R}}$ to select.
 - ▲ or ▼ to Talkaround.

5 Press to enable Talkaround. The display shows ✓ beside Enabled.
 OR

- 6 The screen automatically returns to the previous menu.
- The Talkaround setting is retained even after powering down.
- NOTE: At Step 4, you can also use ◀ or ▶ to change the selected option.

Monitoring Features

Monitoring a Channel

Use the Monitor feature to make sure a channel is clear before transmitting.

NOTE: This feature is not applicable in Capacity Plus and Linked Capacity Plus.

Procedure:

- 1 Press and hold the programmed **Monitor** button and listen for activity.
- 2 The monitor icon appears on the status bar and the LED lights up solid yellow.
- 3 You hear radio activity or total silence, depending on how your radio is programmed.
- 4 When you hear "white noise" (that is, the channel is free), press the **PTT** button to talk and release it to listen.

Permanent Monitor

Use the Permanent Monitor feature to continuously monitor a selected channel for activity.

NOTE: This feature is not applicable in Capacity Plus and Linked Capacity Plus.

Procedure:

- 1 Press the programmed **Permanent Monitor** button.
- 2 Radio sounds an alert tone, the LED lights up solid yellow, and the display shows Permanent Monitor On. The monitor icon appears on the status bar.
- **3** Press the programmed **Permanent Monitor** button to exit Permanent Monitor mode.
- 4 Radio sounds an alert tone, the LED turns off, and display shows Permanent Monitor Off.

Advanced Features

Use this navigation guide to learn more about advanced features available with your radio:

Radio Check page 35
Remote Monitor page 36
Scan Lists page 38
Scan page 41
Vote Scan page 43
Contacts Settings page 44
Call Indicator Settings page 48
Call Log Features page 52
Call Alert Operation page 53
Emergency Operation
Text Message Features page 60
Analog Message Encode page 71
Analog Status Update page 72
Privacy page 73
Dual Tone Multi Frequency (DTMF) page 74
Multi-Site Controls page 75
Security page 77
Lone Worker page 79
Password Lock Features page 79
Bluetooth Operation page 82
Notification List page 85

Utilities	;
Front Panel Programming (FPP)page 98	5

34

English

| Radio Check 🙆

If enabled, this feature allows you to determine if another radio is active in a system without disturbing the user of that radio. No audible or visual notification is shown on the target radio.

This feature is only applicable for subscriber aliases or IDs.

Sending a Radio Check

Procedure:

Use the programmed Radio Check button.

- 1 Press the programmed **Radio Check** button.
- 3 The display shows transitional mini notice, indicating the request is in progress. The LED lights up solid green.
- 4 Wait for acknowledgement.

5 If successful, a positive indicator tone sounds and the display shows positive mini notice.

OR

If unsuccessful, a negative indicator tone sounds and the display shows negative mini notice.

6 Radio returns to the subscriber alias or ID screen.

OR

Procedure:

Use the menu.

1 🐻 to access the menu.

- 2 ▲ or ▼ to Contacts and press 📓 to select.
- 3 ▲ or ▼ to the required subscriber alias or ID and press to select.

OR

▲ or ▼ to Manual Dial and press to select.

If there was previously dialed ID, the ID appears along with a blinking cursor. Use the keypad to edit the ID. Press 🐻 to select.

OR

- A or ▼ to Manual Dial and press to select.
 Key in the subscriber alias or ID and press .
- ← or ▼ to Radio Check and press 🗰 to select.

- 5 The display shows transitional mini notice, indicating the request is in progress. The LED lights up solid green.
- 6 Wait for acknowledgement.
- 7 If successful, a positive indicator tone sounds and the display shows positive mini notice.

OR

If unsuccessful, a negative indicator tone sounds and the display shows negative mini notice.

8 Radio returns to the subscriber alias or ID screen.

If the $\left(\begin{smallmatrix} a \\ b \end{smallmatrix}\right)$ button is pressed when the radio is waiting for acknowledgement, a tone sounds, and the radio terminates all retries and exits Radio Check mode.

Remote Monitor

Use the Remote Monitor feature to turn on the microphone of a target radio (subscriber alias or IDs only). No audible or visual indication is given to the target radio. You can use this feature to monitor, remotely, any audible activity surrounding the target radio.

Your radio must be programmed to allow you to use this feature.

Initiating Remote Monitor

Procedure:

Use the programmed Remote Monitor button.

- Press the programmed **Remote Monitor** button.
- 3 The display shows transitional mini notice, indicating the request is in progress. The LED lights up solid green.
- 4 Wait for acknowledgment.
- 5 If successful, a positive indicator tone sounds and the display shows positive mini notice. Your radio starts playing audio from the monitored radio for a programmed duration and display shows Rem. Monitor. Once the timer expires, the radio sounds an alert tone and

Once the timer expires, the radio sounds an alert tone and the LED turns off.

If unsuccessful, a negative indicator tone sounds and the display shows negative mini notice.

OR

Procedure:

Use the menu.

1 🕃 to access the menu.

2 ▲ or ▼ to Contacts and press 🕅 to select.

OR

▲ or ▼ to Manual Dial and press to select.

If there was previously dialed ID, the ID appears along with a blinking cursor. Use the keypad to edit the ID. Press 🐻 to select.

OR

◆ or ▼ to Manual Dial and press () to select.
 Key in the subscriber alias or ID and press) to select.

- 4 ▲ or ▼ to Remote Mon. and press 🐻 to select.
- 5 The display shows transitional mini notice, indicating the request is in progress. The LED lights up solid green.
- 6 Wait for acknowledgment.

7 If successful, a positive indicator tone sounds and the display shows positive mini notice. Your radio starts playing audio from the monitored radio for a programmed duration and display shows Rem. Monitor.

Once the timer expires, the radio sounds an alert tone and the LED turns off.

OR

If unsuccessful, the radio sounds a negative indicator tone the display shows negative mini notice.

Stopping Remote Monitor

Remote Monitor automatically stops after a programmed duration or when there is any user operation on the target radio.

Procedure:

- 1 Press the programmed **Transmit Interrupt Remote Dekey** button.
- 2 The display shows transitional mini notice, indicating the request is in progress. The LED lights up solid green.
- 3 Wait for acknowledgment.
- 4 If successful, a positive indicator tone sounds and the display shows positive mini notice. OR

If unsuccessful, a negative indicator tone sounds and the display shows negative mini notice.

Scan Lists

Scan lists are created and assigned to individual channels/ groups. Your radio scans for voice activity by cycling through the channel/group sequence specified in the scan list for the current channel/group.

Your radio can support up to 250 scan lists, with a maximum of 16 members in a list. Each scan list supports a mixture of both analog and digital entries.

You can add, delete, or prioritize channels by editing a scan list.

You can attach a new scan list to your radio via Front Panel Programming.

NOTE: This feature is not applicable in Capacity Plus and Linked Capacity Plus.

Viewing an Entry in the Scan List

Procedure:

- to access the menu.
- ▲ or ▼ to Scan and press () to select.
- ← or ▼ to Scan List and press 🗒 to select.
- 4 Use ▲ or ▼ to view each member on the list.

The priority icon appears left of the member's alias, if set, to indicate whether the member is on a Priority 1 or Priority 2

channel list. You **cannot** have multiple Priority 1 or Priority 2 channels in a scan list.

There is no priority icon if priority is set to None.

Viewing an Entry in the Scan List by Alias Search

Procedure:

to access the menu.

- 2 ▲ or ▼ to Scan and press 🐻 to select.
- 3 ▲ or ▼ to Scan List and press 🗒 to select.
- 4 Key in the first character of the required alias.
- A blinking cursor appears.
 Use the keypad to type the required alias.
 Press 4 to move one space to the left.

Press ▶ to move one space to the right. Press the *DEL key to delete any unwanted characters.

6 The first line of the display shows the characters you keyed in. The next lines of the display show the shortlisted search results.

The alias search is case-insensitive. If there are two or more entries with the same name, the radio displays the entry that is listed first in the scan list.

38

Editing the Scan List

Adding a New Entry to the Scan List Procedure:

- 1 💮 to access the menu.
- 2 ▲ or ▼ to Scan and press 🐻 to select.
- 3 ▲ or ▼ to Scan List and press 🗒 to select.
- 4 ▲ or ▼ to Add Member and press 🗒 to select.
- 5 ▲ or ▼ to the required alias or ID and proceed to Step 8.
 OR

Key in the first character of the required alias.

6 A blinking cursor appears. Use the keypad to type the required alias.

Press ◀ to move one space to the left.

Press ▶ to move one space to the right.

Press the *DEL key to delete any unwanted characters.

7 The first line of the display shows the characters you keyed in. The next lines of the display show the shortlisted search results.

The alias search is case-insensitive. If there are two or more aliases with the same name, the radio displays the alias that is listed first in the list.

8 Press 🕷 to select.

- or \checkmark to the required priority level and press $\overline{\mathbb{B}}$ to select.
- 10 The display shows positive mini notice, followed immediately by Add Another?.
- 11

 or ▼ to Yes and press ()
 to select, to add another entry, and repeat Steps 5 to 9.
 OR
 - or \checkmark to No and press $\textcircled{\mathbb{R}}$ to select to save the current list.

🗍 Deleting an Entry from the Scan List

Procedure:

- 1 to access the menu.
- 2 ▲ or ▼ to Scan and press 🐻 to select.
- 3 ▲ or ▼ to Scan List and press 🗷 to select.
- 4 ▲ or ▼ to the required alias or ID and proceed to Step 7.
 OR
 Key in the first character of the required alias.
- A blinking cursor appears.
 Use the keypad to type the required alias.
 Press ◀ to move one space to the left.

Press ▶ to move one space to the right. Press the *DEL key to delete any unwanted characters.

6 The first line of the display shows the characters you keyed in. The next lines of the display show the shortlisted search results.

The alias search is case-insensitive. If there are two or more entries with the same name, the radio displays the entry that is listed first in the scan list.

- 7 Press 🕃 to select.
- 9 At Delete Entry?, ▲ or ▼ to Yes and press to select, to delete the entry. The display shows positive mini notice. OR _____
 - or \checkmark to No and press B to select to return to the previous screen.
- 10 Repeat Steps 4 to 9 to delete other entries.

After deleting all required aliases or IDs, long press (*) to return to the Home screen.

Setting and Editing Priority for an Entry in the Scan List

Procedure:

- to access the menu.
- 2 \bullet or \frown to Scan and press 🐻 to select.
- 3 ▲ or ▼ to Scan List and press 🗒 to select.
- 4 or to the required alias or ID and proceed to Step 7.
 OR
 Key in the first character of the required alias.
- A blinking cursor appears.
 Use the keypad to type the required alias.
 Press ◀ to move one space to the left.
 Press ▶ to move one space to the right.

Press the *DEL key to delete any unwanted characters.

6 The first line of the display shows the characters you keyed in. The next lines of the display show the shortlisted search results.

The alias search is case-insensitive. If there are two or more entries with the same name, the radio displays the entry that is listed first in the scan list.

- 8 ▲ or ▼ to Edit Priority and press 🗒 to select.
- 9 \bullet or \checkmark to the required priority level and press 🗓 to select.
- **10** The display shows positive mini notice before returning to the previous screen.
- **11** The priority icon appears left of the member's name.

There is no priority icon if priority is set to None.

Scan

When you start a scan, your radio cycles through the programmed scan list for the current channel looking for voice activity.

The LED blinks yellow and the scan icon appears on the status bar.

During a dual mode scan, if you are on a digital channel, and your radio locks onto an analog channel, it automatically switches from digital mode to analog mode for the duration of the call. This is also true for the reverse.

There are two ways of initiating scan:

- Main Channel Scan (Manual): Your radio scans all the channels/groups in your scan list. On entering scan, your radio may – depending on the settings – automatically start on the last scanned "active" channel/group or on the channel where scan was initiated.
- Auto Scan (Automatic): Your radio automatically starts scanning when you select a channel/group that has Auto Scan enabled.
- **NOTE:** This feature is not applicable in Capacity Plus and Linked Capacity Plus.

Starting and Stopping Scan

Procedure:

Press the programmed **Scan** button to start or stop Scan.

OR

Follow the procedure below.

- 1 Use the Channel Selector Knob to select a channel programmed with a scan list.
- 2 💮 to access the menu.
- 3 ▲ or ▼ to Scan and press 🐻 to select.
- 4 \bullet or \frown to Scan State and press 🐻 to select.
- 5 \bullet or \checkmark to required scan state and press $\textcircled{\blacksquare}$ to select.
- 6 The display shows Scan On when scan is enabled. The LED blinks yellow and the scan icon appears.

OR

The display shows S_{Can} Off if scan is disabled. The LED turns off and the scan icon disappears.

While scanning, the radio can only accept data (e.g. text message, location, telemetry, or PC data) if received on its Selected Channel.

Responding to a Transmission During a Scan

During scanning, your radio stops on a channel/group where activity is detected. The radio stays on that channel for a programmed time period known as "hang time".

Procedure:

- 1 Hold the radio vertically 1 to 2 inches (2.5 to 5.0 cm) from your mouth.
 - If the Channel Free Indication feature is enabled, you hear a short alert tone the moment the transmitting radio releases the **PTT** button, indicating the channel is free for you to respond.
- 2 Press the **PTT** button during hang time. The LED lights up solid green.
- Wait for the Talk Permit Tone to finish (if enabled) and speak clearly into the microphone.
 OR
 - Wait for the **PTT** Sidetone to finish (if enabled) and speak clearly into the microphone.
- 4 Release the PTT button to listen.
- 5 If you do not respond within the hang time, the radio returns to scanning other channels/groups.

Deleting a Nuisance Channel

If a channel continually generates unwanted calls or noise (termed a "nuisance" channel), you can temporarily remove the unwanted channel from the scan list.

This capability does not apply to the channel designated as the Selected Channel.

Procedure:

- When your radio "locks on to" an unwanted or nuisance channel, press the programmed Nuisance Channel Delete button until you hear a tone.
- 2 Release the Nuisance Channel Delete button. The nuisance channel is deleted.

Deleting a "nuisance" channel is **only** possible through the programmed **Nuisance Channel Delete** button. This feature is **not** accessible through the menu.

Restoring a Nuisance Channel

Procedure:

To restore the deleted nuisance channel, do **one** of the following:

- Turn the radio off and then power it on again, OR
- Stop and restart a scan via the programmed Scan button or menu, OR
- Change the channel via the Channel Selector Knob.

🔳 Vote Scan 🔞

Vote Scan provides you with wide area coverage in areas where there are multiple base stations transmitting identical information on different analog channels.

Your radio scans analog channels of multiple base stations and performs a voting process to select the strongest received signal. Once that is established, your radio unmutes to transmissions from that base station.

The LED blinks yellow and the vote scan icon appears on the status bar.

To respond to a transmission during a Vote Scan, follow the same procedures as Responding to a Transmission During a Scan on page 42.

Contacts Settings

Contacts provides "address-book" capabilities on your radio. Each entry corresponds to an alias or ID that you use to initiate a call.

Each entry, depending on context, associates with **one** of five types of calls: Group Call, Private Call, All Call, PC Call or Dispatch Call.

PC Call and Dispatch Call are data-related. They are only available with the applications. Refer to the data applications documentation for more information.

NOTE: If the Privacy feature is enabled on a channel, you can make privacy-enabled Group Call, Private Call, and All Call on that channel. Only target radios with the same Privacy Key OR the same Key Value and Key ID as your radio are able to unscramble the transmission.

See *Privacy* on page 73 for more information.

Additionally, Contacts menu allows you to assign each entry to a programmable number key or more on a keypad. If an entry is assigned to a number key, your radio can perform a quick dial

on the entry.

Your radio supports two Contacts lists, one for Analog contacts and one for Digital contacts, with a maximum of 500 members for each Contacts list. Each entry within Contacts displays the following information:

- Call Type
- Call Alias
- Call ID
- **NOTE:** You can add, or edit subscriber IDs for the Digital Contacts list. Deleting subscriber IDs can only be performed by your dealer.

For the Analog Contacts list, you can only view the subscriber IDs, edit the subscriber IDs, and initiate a Call Alert. Adding and deleting capabilities can only be performed by your dealer.

Making a Group Call from Contacts

Procedure:

- to access the menu.
- 3 ▲ or ▼ to the required group alias or ID.
- 4 Hold the radio vertically 1 to 2 inches (2.5 to 5.0 cm) from your mouth.
- 5 Press the **PTT** button to make the call. The LED lights up solid green.

6 Wait for the Talk Permit Tone to finish (if enabled) and speak clearly into the microphone.
OR

(f) Wait for the **PTT** Sidetone to finish (if enabled) and speak clearly into the microphone.

7 Release the PTT button to listen. When any user in the group responds, the LED blinks green. You see the Group Call icon, the group ID, and that user's ID on your display.

8 If the Channel Free Indication feature is enabled, you hear a short alert tone the moment the target radio releases the PTT button, indicating the channel is free for you to respond. Press the PTT button to respond.
OR

If there is no voice activity for a programmed period of time, the call ends.

🗍 Making a Private Call from Contacts 🖲

Procedure:

- 1 🗰 to access the menu.
- 3 ▲ or ▼ to the required subscriber alias or ID. OR
 - ← or \checkmark to Manual Dial and press B to select.

If there was previously dialed subscriber alias or ID, the alias or ID appears along with a blinking cursor. Use the keypad to edit the ID.

OR

- ◆ or ▼ to Manual Dial and press () to select.
 Use the keypad to enter a new subscriber alias or ID.
- 4 Hold the radio vertically 1 to 2 inches (2.5 to 5.0 cm) from your mouth.
- 5 Press the **PTT** button to make the call. The LED lights up solid green. The display shows the destination alias.
- 6 Wait for the Talk Permit Tone to finish (if enabled) and speak clearly into the microphone.
- 7 Release the PTT button to listen. When the target radio responds, the LED blinks green and the display shows the transmitting user's ID.
- 8 If the Channel Free Indication feature is enabled, you hear a short alert tone the moment the target radio releases the PTT button, indicating the channel is free for you to respond. Press the PTT button to respond.

OR

If there is no voice activity for a programmed period of time, the call ends.

9 You hear a short tone. The display shows Call Ended.

🗇 Making a Call by Alias Search 🐽

You can also use alias or alphanumeric search to retrieve the required subscriber alias.

This feature is only applicable while in Contacts.

Procedure:

- 1 🗰 to access the menu.
- 3 Key in the first character of the required alias.
- A blinking cursor appears.
 Use the keypad to type the required alias.
 - Press ◀ to move one space to the left.

Press ▶ to move one space to the right.

Press the *DEL key to delete any unwanted characters.

5 The first line of the display shows the characters you keyed in. The next lines of the display show the shortlisted search results.

The alias search is case-insensitive. If there are two or more aliases with the same name, the radio displays the alias that is listed first in the Contacts list.

6 Hold the radio vertically 1 to 2 inches (2.5 to 5.0 cm) from your mouth.

- 7 Press the **PTT** button to make the call. The LED lights up solid green. The display shows the destination alias.
- 8 Wait for the Talk Permit Tone to finish (if enabled) and speak clearly into the microphone.
- 9 Release the PTT button to listen. When the target radio responds, the LED blinks green.
- 10 If the Channel Free Indication feature is enabled, you hear a short alert tone the moment the target radio releases the PTT button, indicating the channel is free for you to respond. Press the PTT button to respond.

OR

If there is no voice activity for a programmed period of time, the call ends.

11 You hear a short tone. The display shows Call Ended.

NOTE: Press Dutton or to exit alias search.

If you release the **PTT** button while the radio is setting up the call, it exits without any indication and returns to the previous screen.

Your radio may be programmed to perform a radio presence check prior to setting up the Private Call. If the target radio is not available, you hear a short tone and see negative mini notice on the display. The radio returns to the menu prior to initiating the radio presence check.

Assigning an Entry to a Programmable

Number Key 🖲

Procedure:

- 1 to access the menu.
- 2 ▲ or ▼ to Contacts and press to select. The entries are alphabetically sorted.
- 3 ▲ or ▼ to the required alias or ID and press () to select.
- 4 ▲ or ▼ to Program Key and press 🕷 to select.
- 5 ▲ or ▼ to the desired number key and press () to select.
 OR

If the number key is currently assigned to another entry, the display shows The Key is Already Used and then, the first line of the display shows Overwrite?.

- or \checkmark to Yes and press $\textcircled{\mathbb{R}}$ to select.
- 6 The radio sounds a positive indicator tone and the display shows positive mini notice.
- 7 The screen automatically returns to the previous menu.
- NOTE: Each entry can be associated to different number keys. You see a checkmark before each number key that is assigned to an entry. If the checkmark is before Empty, you have not assign a number key to the entry. If a number key is assigned to an entry in a particular

mode, this feature is not supported when you long press the number key in another mode.

See Making a Group, Private or All Call with the Programmable Number Key on page 30 for details on making a Group, Private or All Call with the programmed number key(s).

Removing the Association between Entry and Programmable Number Key (n)

Procedure:

Long press the programmed number key to the required alias or ID, press $\textcircled{1}{100}$ to select, and proceed to Step 4.

OR

Follow the procedure below.

- 1 🗰 to access the menu.
- 3 \bullet or \checkmark to the required alias or ID and press $\left(\overset{\mathbb{R}}{\mathbb{R}} \right)$ to select.
- 4 ▲ or ▼ to Program Key and press 厳 to select.
- 5 ▲ or ▼ to Empty and press 🖾 to select.
- 6 The first line of the display shows Clear from all keys?.

- 7 ▲ or ▼ to Yes and press 🐻 to select.
- 8 The radio sounds a positive indicator tone and the display shows positive mini notice.
- 9 The screen automatically returns to the previous menu.
- **NOTE:** When an entry is deleted, the association between the entry and its programmed number key(s) is removed.

🗇 Setting Default Contact 🔞

Procedure:

Follow the procedure below.

- to access the menu.
- or \checkmark to Contacts and press B to select.
- or \checkmark to the required alias or ID and press $\textcircled{\mathbb{B}}$ to select.
- or \checkmark to Set as Default and press B to select.
- 5 The radio sounds a positive indicator tone and the display shows positive mini notice.
- 6 A ✓ appears beside the selected default alias or ID.

Call Indicator Settings

Activating or Deactivating Call Ringers for Call Alert (n)

You can select, or turn on or off ringing tones for a received Call Alert.

Procedure:

- to access the menu.
- 2 ▲ or ▼ to Utilities and press 📓 to select.
- 3 ▲ or ▼ to Radio Settings and press 🐻 to select.
- 4 ▲ or ▼ to Tones/Alerts and press 🕷 to select.
- 5 \bigstar or \blacktriangledown to Call Ringers and press 🐻 to select.
- 7 ▲ or ▼ to the required tone and press () to select. ✓ appears beside selected tone.
- NOTE: At Step 6, you can also use ◀ or ▶ to change the selected option.

3

4

English

Advanced Features

Activating or Deactivating Call Ringers for Private

Calls 📵

You can turn on or off the ringing tones for a received Private Call.

Procedure:

- to access the menu.
- 2 ▲ or ▼ to Utilities and press 🕷 to select.
- 3 \frown or \checkmark to Radio Settings and press B to select.
- 4 ▲ or ▼ to Tones/Alerts and press 🐻 to select.
- 5 \frown or \checkmark to Call Ringers and press B to select.
- 5 🔺 or 🔻 to Private Call.
- 7 Press [™] to enable Private Call ringing tones. The display shows ✓ beside Enabled.

OR

NOTE: At Step 6, you can also use ◀ or ▶ to change the selected option.

Activating or Deactivating Call Ringers for Selective Call

You can select, or turn on or off ringing tones for a received Selective Call.

Procedure:

- 1 📓 to access the menu.
- 2 ▲ or ▼ to Utilities and press 📓 to select.
- 3 \bullet or \frown to Radio Settings and press B to select.
- 4 or \checkmark to Tones/Alerts and press $\overset{\blacksquare}{\longrightarrow}$ to select.
- 5 \bigstar or \blacktriangledown to Call Ringers and press 🕷 to select.
- 7 ▲ or ▼ to the required tone and press () to select. ✓ appears beside selected tone.
- **NOTE:** At Step 6, you can also use **4** or **▶** to change the selected option.

Activating or Deactivating Call Ringers for Text

Message 🖲

You can select, or turn on or off the ringing tones for a received Text Message.

Procedure:

- 1 to access the menu.
- 2 or \checkmark to Utilities and press B to select.
- 3 ▲ or ▼ to Radio Settings and press 📓 to select.
- 4 or \checkmark to Tones/Alerts and press B to select.
- 5 \frown or \checkmark to Call Ringers and press B to select.
 - or \checkmark to Messages and press B to select. The current tone is indicated by a \checkmark .
 - or \checkmark to the required tone and press (\bigcirc) to select. \checkmark appears beside selected tone.
- NOTE: At Step 6, you can also use ◀ or ▶ to change the selected option.

Activating or Deactivating Call Ringers for

Telemetry Status with Text 🦲

You can turn on or off the alert tones for a received Telemetry Status with Text.

Procedure:

- to access the menu.
- 3 \frown or \frown to Radio Settings and press 🕷 to select.
- 4 ▲ or ▼ to Tones/Alerts and press 🕷 to select.
- 5 \frown or \frown to Call Ringers and press II to select.
- A or ▼ to the required tone and press to select. ✓ appears beside selected tone.
- **NOTE:** At Step 6, you can also use **4** or **▶** to change the selected option.

6

English

Assigning Ring Styles



You can program your radio to sound one of ten predefined ringing tones when receiving a Call Alert or a Text Message from a particular contact.

Procedure:

- (to access the menu.
- ▲ or ▼ to Contacts and press 🐷 to select. The entries are alphabetically sorted.
- or \checkmark to the required alias or ID and press (B) to select. 3
- ▲ or ▼ to Edit and press to select.
- Press 📖 until display shows Edit Ringtone menu. 5
- A \checkmark indicates the current selected tone. 6
- or \checkmark to the required tone and press $\textcircled{\mathbb{R}}$ to select. \checkmark appears beside selected tone.
- 8 The display shows a positive mini notice.

The radio sounds out each ring style as you navigate through the list.

Escalating Alarm Tone Volume

You can program your radio to continually alert you when a radio call remains unanswered. This is done by automatically increasing the alarm tone volume over time. This feature is known as Escalert.

Procedure:

- to access the menu.
- ▲ or ▼ to Utilities and press to select.
- ▲ or ▼ to Radio Settings and press 🐻 to select.
- ▲ or ▼ to Tones/Alerts and press → to select.
- 5 or 🔻 to Escalent.
- Press m to enable Escalert. The display shows \checkmark beside Fnabled.

OR

Press () to disable Escalert. The ✓ disappears from beside Enabled.

NOTE: At Step 5, you can also use **4** or **▶** to change the selected option.

Call Log Features

Your radio keeps track of all recent outgoing, answered, and missed Private Calls. Use the call log feature to view and manage recent calls.

You can perform the following tasks in each of your call lists:

- Store ID to Contacts
- Delete
- View Details

Viewing Recent Calls

The lists are Missed, Answered, and Outgoing.

Procedure:

- to access the menu.
- ▲ or ▼ to Call Log and press to select.
- 4 The display shows the most recent entry at the top of the list.
 - ▲ or ▼ to view the list.

Press the **PTT** button to start a Private Call with the current selected alias or ID.

Storing an Alias or ID from a Call List

Procedure:

to access the menu.

- 2 ▲ or ▼ to Call Log and press 🗑 to select.
- 3 \frown or \checkmark to the required list and press B to select.
- or \checkmark to the required alias or ID and press $\overline{\mathbb{B}}$ to select.
- 5 ▲ or ▼ to Store and press 📓 to select.
- 6 A blinking cursor appears. If needed, key in the alias for that ID and press .
- 7 The display shows positive mini notice.

You can also store an ID without an alias.

Deleting a Call from a Call List

Procedure:

- to access the menu.
- 2 ▲ or ▼ to Call Log and press 🕅 to select.
- 3 \bullet or \blacksquare to the required list and press B to select.
- \bullet or \blacksquare to the required alias or ID and press 🗓 to select.

52

2

5

English

5 ▲ or ▼ to Delete and press 🐻 to select.

- 6 Press 🕅 to select Yes to delete the entry. The display shows positive mini notice.
 - OR
 - or \checkmark to No to return to the previous screen.

When you select a call list and it contains no entries, the display shows *List Empty* and sounds a low tone if Keypad Tones are turned on (see **Turning Keypad Tones On or Off** on page 86).

Viewing Details from a Call List

Procedure:

- to access the menu.
- 2 ▲ or ▼ to Call Log and press 🐻 to select.
- 3 \frown or \checkmark to the required list and press B to select.
- 4 \bullet or \frown to the required alias or ID and press $\textcircled{\mathbb{R}}$ to select.
- 5 ▲ or ▼ to View Details and press to select. Display shows details.

Call Alert Operation

Call Alert paging enables you to alert a specific radio user to call you back when they are able to do so.

This feature is applicable for subscriber aliases or IDs only and is accessible through the menu via Contacts or manual dial.

Receiving and Responding to a Call Alert

When you receive a Call Alert page, you see the notification list listing a Call Alert with the alias or ID of the calling radio on the display.

Procedure:

- You hear a repetitive tone. The LED blinks yellow.
- 2 Press the PTT button while the display still shows the Call Alert in the Notification List to respond with a Private Call. OR

Press (2) to exit the Notification List. The alert is moved to the Missed Call Log.

See **Notification List** on page 85 for details about the Notification List.

See **Call Log Features** on page 52 for details about the Missed Call List.

Making a Call Alert from the Contacts List

Procedure:

- 1 🗰 to access the menu.
- 2 \bullet or \frown to Contacts and press $\overset{\blacksquare}{\frown}$ to select.
- 3 ▲ or ▼ to the required subscriber alias or ID and press .

OR

- or \checkmark to Manual Dial and press $(\frac{1}{M})$ to select. A blinking cursor appears. Enter the subscriber ID you want to page and press $\frac{1}{M}$.
- or \checkmark to Call Alert and press $\overset{\texttt{III}}{\textcircled{}}$ to select.
- 5 The display shows Call Alert and the subscriber alias or ID, indicating that the Call Alert has been sent.
- 6 The LED lights up solid green when your radio is sending the Call Alert.
- If the Call Alert acknowledgement is received, the display shows positive mini notice.

OR

If the Call Alert acknowledgement is not received, the display shows negative mini notice.

Making a Call Alert with the One Touch Access Button

Procedure:

- Press the programmed **One Touch Access** button to make a Call Alert to the predefined alias or ID.
- 2 The display shows Call Alert and the subscriber alias or ID, indicating that the Call Alert has been sent.
- 3 The LED lights up solid green when your radio is sending the Call Alert.
- 4 If the Call Alert acknowledgement is received, the display shows positive mini notice.

OR

If the Call Alert acknowledgement is not received, the display shows negative mini notice.

Emergency Operation

An Emergency Alarm is used to indicate a critical situation. You are able to initiate an Emergency at any time on any screen display even when there is activity on the current channel.

Your dealer can set the duration of a button press for the programmed **Emergency** button, except for long press, which is similar with all other buttons:

- Short press Between 0.05 seconds and 0.75 seconds
- Long press Between 1.00 second and 3.75 seconds

The **Emergency** button is assigned with the Emergency On/Off feature. Check with your dealer for the assigned operation of the **Emergency** button.

If short press the **Emergency** button is assigned to turn on the Emergency mode, then long press the **Emergency** button is assigned to exit the Emergency mode.

If long press the **Emergency** button is assigned to turn on the Emergency mode, then short press the **Emergency** button is assigned to exit the Emergency mode.

Your radio supports three Emergency Alarms:

- Emergency Alarm
- Emergency Alarm with Call
- Emergency Alarm with Voice to Follow

In addition, each alarm has the following types:

- Regular Radio transmits an alarm signal and shows audio and/or visual indicators.
- Silent Radio transmits an alarm signal without any audio or visual indicators. Radio receives calls without any sound through the radio's speaker, until you press the PTT button to initiate the call.
- Silent with Voice Radio transmits an alarm signal without any audio or visual indicators, but allow incoming calls to sound through the radio's speaker.

Only **ONE** of the Emergency Alarms above can be assigned to the programmed **Emergency** button.

Receiving an Emergency Alarm

Procedure:

OR

The emergency icon appears, a tone sounds, the LED blinks red, and the radio displays the emergency caller alias Press 💮 to view more details. Press 💮 again to view your action options.

2 Press and select Yes to exit the Alarm List. To revisit the Alarm List, press to access the menu and select flarm List.

Responding to an Emergency Alarm

Procedure:

When receiving an Emergency Alarm:

- 2 Hold the radio vertically 1 to 2 inches (2.5 to 5.0 cm) from your mouth.

If the Channel Free Indication feature is enabled, you hear a short alert tone the moment the transmitting radio releases the **PTT** button, indicating the channel is now available for use.

- Press **PTT** button to transmit non-emergency voice to the same group that the Emergency Alarm was targeted to. The LED lights up solid green. Your radio remains in the Emergency mode.
- 4 Wait for the Talk Permit Tone to finish (if enabled) and speak clearly into the microphone.

OR

(f) Wait for the **PTT** Sidetone to finish (if enabled) and speak clearly into the microphone.

- 5 Release the PTT button to listen. When the emergency initiating radio responds, the LED blinks green. You see the Group Call icon, the group ID, and transmitting radio ID on your display.
- 6 Your radio displays the Alarm List.

Emergency voice can only be transmitted by the emergency initiating radio. All other radios (including the emergency receiving radio) transmit non-emergency voice.

Sending an Emergency Alarm

This feature allows you to send an Emergency Alarm, a non-voice signal, which triggers an alert indication on a group of radios.

Procedure:

- 1 Press the programmed **Emergency On** button.
- 2 The display shows Tx Alarm and the destination alias. The LED lights up solid green and the Emergency icon appears. OR
 - The display shows Tx Telegram and the destination alias. The LED lights up solid green and the Emergency icon appears.
- 3 When an Emergency Alarm acknowledgment is received, the Emergency tone sounds and the LED blinks green. The display shows Alarm Sent. OR

56

Features

Advanced

If your radio does not receive an Emergency Alarm acknowledgement, and after all retries have been exhausted, a tone sounds and the display shows Rlarm Failed.

4 Radio exits the Emergency Alarm mode and returns to the Home screen.

If your radio is set to Silent, it does not display any audio or visual indicators during Emergency mode.

Sending an Emergency Alarm with Call

This feature allows you to send an Emergency Alarm to a group of radios. Upon acknowledgement by a radio within the group, the group of radios can communicate over a programmed Emergency channel.

Procedure:

- 1 Press the programmed **Emergency On** button.
- 2 The display shows Tx Alarm and the destination alias. The LED lights up solid green and the Emergency icon appears. OR

The display shows Tx Telegram and the destination alias. The LED lights up solid green and the Emergency icon appears.

3 When an Emergency Alarm acknowledgment is received, the Emergency tone sounds and the LED blinks green. The display shows Alarm Sent.

- 4 Your radio enters the emergency call mode when the display shows Emergency and the destination group alias.
- 5 Hold the radio vertically 1 to 2 inches (2.5 to 5.0 cm) from your mouth.
- 6 Press **PTT** button to make the call. The LED lights up solid green and the group icon appears on the display.
- 7 Wait for the Talk Permit Tone to finish (if enabled) and speak clearly into the microphone.

OR

- Wait for the PTT Sidetone to finish (if enabled) and speak clearly into the microphone.
- 8 Release the PTT button to listen. When you receive a group call, the display shows the caller alias and group alias.
- 9 When the channel is free for you to respond, a short alert

tone sounds (log if the Channel Free Indication feature is enabled). Press the **PTT** button to respond.

OR

Once your call ends, press **Emergency Off** button to exit the Emergency mode.

10 The radio returns to the Home screen.

If your radio is set to Silent, it does not display any audio or visual indicators during Emergency mode, or allow any received

calls to sound through the radio's speaker, until you press the **PTT** button to initiate the call.

If your radio is set to Silent with Voice, it does not display any audio or visual indicators during Emergency mode, but allow incoming calls to sound through the radio's speaker. The indicators only appear once you press the **PTT** button to initiate, or respond to, the call.

Sending an Emergency Alarm with Voice to Follow (n)

This feature allows you to send an Emergency Alarm to a group of radios. Your radio's microphone is automatically activated, allowing you to communicate with the group of radios without pressing the **PTT** button.

This activated microphone state is also known as "hot mic".

If your radio has Emergency Cycle Mode enabled, repetitions of hot mic and receiving period are made for a programmed duration.

NOTE: During Emergency Cycle Mode, received calls sound through the radio's speaker.

If you press the **PTT** button during the programmed receiving period, you will hear a prohibit tone, indicating that you should release the **PTT** button. The radio ignores the **PTT** press and remains in Emergency mode.

NOTE: If you press the **PTT** button during hot mic, and continue to press it after the hot mic duration expires, the radio continues to transmit until you release the **PTT** button.

Procedure:

- Press the programmed **Emergency On** button.
- 2 The display shows Tx Alarm and the destination alias. The LED lights up solid green and the Emergency icon appears. OR

The display shows Tx Telegram and the destination alias. The LED lights up solid green and the Emergency icon appears.

3 Once the display shows Alarm Sent, speak clearly into the microphone. When hot mic has been enabled, the radio automatically transmits without a **PTT** press until the hot mic duration expires.

While transmitting, the LED lights up solid green and the Emergency icon appears.

4 The radio automatically stops transmitting when: Once the cycling duration between hot mic and receiving calls expires, if Emergency Cycle Mode is enabled. OR

Once the hot mic duration expires, if Emergency Cycle Mode is disabled.

5 To transmit again, press the **PTT** button. **OR**

Features

English

Press the programmed **Emergency Off** button to exit the Emergency mode.

6 The radio returns to the Home screen.

If your radio is set to Silent, it does not display any audio or visual indicators during Emergency mode, or allow any received calls to sound through the radio's speaker, until the programmed hot mic transmission period is over, and you press the **PTT** button.

If your radio is set to Silent with Voice, it does not display any audio or visual indicators during Emergency mode when you are making the call with hot mic, but allow sound through the radio's speaker when the target radio responds after the programmed hot mic transmission period is over. The indicators only appear when you press the **PTT** button.

NOTE: If the Emergency Alarm request fails, the radio does not retry to send the request, and enters the hot mic state directly.

Reinitiating an Emergency Mode

NOTE: This feature is only applicable to the radio sending the Emergency Alarm.

There are two instances where this can happen:

 You change the channel while the radio is in Emergency mode. This exits the Emergency mode. If Emergency Alarm is enabled on this new channel, the radio reinitiates Emergency. You press the programmed Emergency On button during an Emergency initiation/transmission state. This causes the radio to exit this state, and to reinitiate Emergency.

Exiting Emergency Mode

NOTE: This feature is only applicable to the radio sending the Emergency Alarm.

Your radio exits Emergency mode when **one** of the following occurs:

- Emergency Alarm acknowledgement is received (for Emergency Alarm only), OR
- Man Emergency Exit Telegram is received, OR
- All retries to send the alarm have been exhausted, OR
- The Emergency Off button is pressed.
- **NOTE:** If your radio is powered off, it exits the Emergency mode. The radio does not reinitiate the Emergency mode automatically when it is turned on again.

If you change channels when your radio is in Emergency mode to a channel that has no emergency system configured, No Emergency is shown on your display.

🛭 Text Message Features 🐽

Your radio is able to receive data, for example a text message, from another radio or an e-mail application.

The **maximum** length of characters for sending a text message, including the subject line (seen when receiving message from an e-mail application), is **140**, whereas to receive would be a maximum of **280** characters.

The radio exits the current screen once the inactivity timer expires. Any text message in the writing/editing screen is automatically saved to the Drafts folder.

NOTE: Long press at any time to return to the Home screen.

Writing and Sending a Text Message

Procedure:

Press the programmed **Text Message** button and proceed to Step 3.

OR

Follow the procedure below.

- 1 to access the menu.
 - ▲ or ▼ to Messages and press to select.

- 3 ▲ or ▼ to Compose and press 🗒 to select.
- A blinking cursor appears. 4 Use the keypad to type your message. Press I to move one space to the left. Press b or the # key to move one space to the right. Press the *DEL key to delete any unwanted characters. Press 🗑 once message is composed. 5 • or \checkmark to the required alias or ID and press B to select. OR ▲ or ▼ to Manual Dial and press to select. Key in the subscriber ID and press OR to edit the message. again to discard the message or save it to the Drafts folder. The display shows transitional mini notice, confirming your message is being sent.
- 8 If the message is sent, a tone sounds and the display shows positive mini notice.

OR

If the message is not sent, a low tone sounds and the display shows negative mini notice.

If the text message fails to send, the radio returns you to the *Resend* option screen (see **Managing Fail-to-Send Text Messages** on page 63).

Sending a Quick Text Message

Your radio supports a maximum of 50 Quick Text messages as programmed by your dealer.

While Quick Text messages are predefined, you can edit each message before sending it.

Procedure:

Press the programmed **Text Message** button and proceed to Step 3.

OR

Follow the procedure below.

- 1 💮 to access the menu.
- 2 ▲ or ▼ to Messages and press to select.
- 3 ▲ or ▼ to Quick Text and press 🕷 to select.
- 4 \blacktriangle or \blacksquare to the required Quick Text and press $\overset{\textcircled{l}}{\textcircled{l}}$ to select.
- 5 A blinking cursor appears.

Use the keypad to edit the message, if required.

Press ◀ to move one space to the left.

Press ▶ or the # key to move one space to the right.

Press the *DEL key to delete any unwanted characters.

- 6 Press 🐻 once message is composed.
- ✓ or ▼ to the required alias or ID and press () to select.
 OR
 - ▲ or ▼ to Manual Dial and press () to select.

Key in the subscriber alias or ID and press ().

OR

to edit the message.

again to discard the message or save it to the Drafts folder.

- 8 The display shows transitional mini notice, confirming your message is being sent.
- 9 If the message is sent, a tone sounds and the display shows positive mini notice.

OR

If the message is not sent, a low tone sounds and the display shows negative mini notice.

If the text message fails to send, the radio returns you to the *Resend* option screen (see **Managing Fail-to-Send Text Messages** on page 63).

Sending a Quick Text Message with the One Touch Access Button

Procedure:

- 1 Press the programmed **One Touch Access** button to send a predefined Quick Text message to a predefined alias or ID.
- 2 The display shows transitional mini notice, confirming your message is being sent.
- 3 If the message is sent, a tone sounds and the display shows positive mini notice.

OR

If the message is not sent, a low tone sounds and the display shows negative mini notice.

If the text message fails to send, the radio returns you to the *Resend* option screen (see **Managing Fail-to-Send Text Messages** on page 63).

Accessing the Drafts Folder

You can save a text message to send it at a later time.

If a **PTT** button press or a mode change causes the radio to exit the text message writing/editing screen while you are in the process of writing or editing a text message, your current text message is automatically saved to the Drafts folder.

The most recent saved text message is always added to the top of the Drafts list.

The Drafts folder stores a maximum of ten (10) last saved messages. When the folder is full, the next saved text message automatically replaces the oldest text message in the folder.

NOTE: Long press at any time to return to the Home screen.

Viewing a Saved Text Message

Procedure:

Press the programmed **Text Message** button and proceed to Step 3.

OR

Follow the procedure below.

to access the menu.

- 2 \bullet or \frown to Messages and press $\overset{\blacksquare}{\frown}$ to select.
- 3 or \checkmark to Drafts and press $\textcircled{\mathbb{B}}$ to select.
- • or \checkmark to the required message and press B to select.

Editing and Sending a Saved Text Message

Procedure:

- Press 📖 again while viewing the message.
- A or ▼ to Edit and press to select.
 A blinking cursor appears.

62

English

Use the keypad to edit your message.

Press ◀ to move one space to the left.

Press ▶ or the # key to move one space to the right. Press the *DEL key to delete any unwanted characters. Press 💮 once message is composed.

3 ▲ or ▼ to the required alias or ID and press () to select.
 OR

◆ or ▼ to Manual Dial and press to select.
 Key in the subscriber alias or ID and press .

- 4 The display shows transitional mini notice, confirming your message is being sent.
- 5 If the message is sent, a tone sounds and the display shows positive mini notice.

OR

If the message is not sent, a low tone sounds and the display shows negative mini notice.

If the text message fails to send, it is moved to the Sent Items folder and marked with a Send Failed icon.

Deleting a Saved Text Message from Drafts

Procedure:

Press the programmed **Text Message** button and proceed to Step 3.

OR

Follow the procedure below.

- to access the menu.
- 2 or \checkmark to Messages and press B to select.
- 3 or $\mathbf{\overline{v}}$ to Drafts and press $\mathbf{\overline{k}}$ to select.
- or \checkmark to the required message and press $\overline{\mathbb{R}}$ to select.
- 5 Press 🐻 again while viewing the message.

Managing Fail-to-Send Text Messages

You can select one of the following options while at the Resend option screen:

- Resend
- Forward
- Edit
- **NOTE:** If the channel type (i.e. conventional digital or Capacity Plus or Linked Capacity Plus) is not a match, you can only edit and forward a Fail-to-Send message.

Resending a Text Message

Procedure:

- 1 Press to resend the same message to the same subscriber/group alias or ID.
- 2 If the message is sent, a tone sounds and the display shows positive mini notice.

OR

If the message is not sent, a low tone sounds and the display shows negative mini notice.

Forwarding a Text Message

Select Forward to send the message to another subscriber/ group alias or ID.

Procedure:

- or \checkmark to Forward and press B to select.
- or \checkmark to the required alias or ID and press B to select. OR
- ◆ or ▼ to Manual Dial and press () to select.
 Key in the subscriber ID and press ().
- 3 The display shows transitional mini notice, confirming your message is being sent.
- 4 If the message is sent, a tone sounds and the display shows positive mini notice.

OR

If the message is not sent, a low tone sounds and the display shows negative mini notice.

Editing a Text Message

Select Edit to edit the message before sending it.

NOTE: If a subject line is present (for messages received from an e-mail application), you cannot edit it.

Procedure:

- I ▲ or ▼ to Edit and press to select.
- A blinking cursor appears. Use the keypad to edit your message.

Press ◀ to move one space to the left.

Press ▶ or the # key to move one space to the right. Press the *DEL key to delete any unwanted characters.

- 3 Press note message is composed.
- or \checkmark to send and press $\textcircled{\mathbb{B}}$ to send the message.

OR

• or \checkmark to save and press B to save the message to the Drafts folder.

OR

to edit the message.

64

English

again to delete the message or save it to the Drafts folder.

- 5 ▲ or ▼ to the required alias or ID and press () to select.
 OR
 - ◆ or ▼ to Manual Dial and press to select.
 Key in the subscriber ID and press .
- 6 The display shows transitional mini notice, confirming your message is being sent.
- 7 If the message is sent, a tone sounds and the display shows positive mini notice.

OR

If the message is not sent, a low tone sounds and the display shows negative mini notice.

Managing Sent Text Messages

Once a message is sent to another radio, it is saved in Sent Items. The most recent sent text message is always added to the top of the Sent Items list.

The Sent Items folder is capable of storing a maximum of thirty (30) last sent messages. When the folder is full, the next sent text message automatically replaces the oldest text message in the folder.

NOTE: Long press at any time to return to the Home screen.

Viewing a Sent Text Message

Procedure:

Press the programmed **Text Message** button and proceed to Step 3.

OR

Follow the procedure below.

- to access the menu.
- 2 ▲ or ▼ to Messages and press 🕷 to select.
- 3 ▲ or ▼ to Sent Items and press 🕅 to select.

The icon beside each message indicates the status of the message (see **Sent Item Icons** on page 19).

Sending a Sent Text Message

You can select one of the following options while viewing a sent text message:

- Resend
- Forward
- Edit
- Delete

NOTE: If the channel type (i.e. conventional digital or Capacity Plus or Linked Capacity Plus) is not a match, you can only edit, forward, or delete a Sent message.

Procedure:

- 1 Press B again while viewing the message.
- 2 ▲ or ▼ to Resend and press 🕷 to select.
- 3 The display shows transitional mini notice, confirming that the same message is being sent to the same target radio.
- 4 If the message is sent, a tone sounds and the display shows positive mini notice.

OR

If the message is not sent, a low tone sounds and the display shows negative mini notice.

If the message fails to send, the radio returns you to the *Resend* option screen. Press () to resend the message to the same subscriber/group alias or ID.

NOTE: Changing the volume, and pressing any button, except for (), , or), returns you to the message.

The radio exits the Resend option screen if you press the **PTT** button to initiate a Private or Group Call, or to respond to a Group Call. The radio also exits the screen when it receives a text or telemetry message, an emergency call or alarm, or a call alert. The display returns to the Resend option screen if you press the **PTT** button to respond to a Private Call (except when the radio is displaying the Missed Call screen), and at the end of an All Call.

Press or to access the Forward, Edit, or Delete option screen:

- Select Forward to send the selected text message to another subscriber/group alias or ID (see Forwarding a Text Message on page 64).
- Select Edit to edit the selected text message before sending it (see Editing a Text Message on page 64).
- Select Delete to delete the text message.
- **NOTE:** If you exit the message sending screen while the message is being sent, the radio updates the status of the message in the Sent Items folder without providing any indication in the display or via sound.

If the radio changes mode or powers down before the status of the message in Sent Items is updated, the radio cannot complete any In-Progress messages and automatically marks it with a Send Failed icon.

The radio supports a maximum of five (5) In-Progress messages at one time. During this period, the radio cannot send any new message and automatically marks it with a Send Failed icon.

Deleting All Sent Text Messages from Sent Items

Procedure:

Press the programmed **Text Message** button and proceed to Step 3.

OR

Follow the procedure below.

- 1 🗰 to access the menu.
- 2 ▲ or ▼ to Messages and press 🕷 to select.
- 3 ▲ or ▼ to Sent Items and press 🗒 to select.
- 4 ▲ or to Delete All and press 🗰 to select.
- 5 ▲ or ▼ to Yes and press to select. The display shows positive mini notice
 OR
 - or \checkmark to No and press B to return to the previous screen.

When you select Sent Items and it contains no text messages, the display shows *List Emptu* and sounds a low tone if Keypad Tones are turned on (see **Turning Keypad Tones On or Off** on page 86).

Receiving a Text Message

When your radio receives a message, the display shows the Notification List with the alias or ID of the sender and the message icon.

You can select one of the following options when receiving a text message:

- Read
- Read Later
- Delete
- **NOTE:** The radio exits the Text Message alert screen and sets up a Private or Group Call to the sender of the message if the **PTT** button is pressed when the radio is displaying the alert screen.

Reading a Text Message

Procedure:

OR

- 1 ▲ or ▼ to Read? and press 🕷 to select.
- Selected message in the Inbox opens.
 A subject line may be shown if the message is from an e-mail application.
- 3 Press 🖹 to return to the Inbox.

Press $(\underline{\mathbb{R}})$ to reply, forward, or delete the text message.

Press ▲ or ▼ to access the Read Later or Delete option screen:

- Select Read Later to return to the screen you were on prior to receiving the text message.
- Select Delete to delete the text message.

Managing Received Text Messages

Use the Inbox to manage your text messages. The Inbox is capable of storing a maximum of 30 messages.

Your radio supports the following options for text messages:

- Reply
- Forward
- Delete
- Delete All
- **NOTE:** If the channel type (i.e. conventional digital or Capacity Plus or Linked Capacity Plus) is not a match, you can only forward, delete, or delete all Received messages.

Text messages in the Inbox are sorted according to the most recently received.

NOTE: Long press at any time to return to the Home screen.

□ Viewing a Text Message from the Inbox

Procedure:

to access the menu.

- 2 or \checkmark to Messages and press $\overset{\blacksquare}{\textcircled{\ }}$ to select.
- 3 \bullet or \frown to Inbox and press B to select.
- ▲ or ▼ to view the messages.
 A subject line may be shown if the message is from an e-mail application.
- 5 Press to select the current message, and press again to reply, forward, or delete that message.
 OR

Long press (2) to return to the Home screen.

Viewing a Telemetry Status Text Message from the Inbox

Procedure:

- to access the menu.
- 2 \bullet or \checkmark to Messages and press B to select.
- 3 ▲ or ▼ to Inbox and press I to select.

- 4 \bullet or \blacksquare to the required message and press $\textcircled{\mathbb{R}}$ to select.
- 5 The display shows Telemetry: <Status Text Message>.
- 6 Long press (2) to return to the Home screen.

You cannot reply to a Telemetry Status text message.

Replying to a Text Message from the Inbox

Procedure:

Press the programmed **Text Message** button and proceed to Step 3.

OR

Follow the procedure below.

- 1 🗰 to access the menu.
- 2 \bullet or \frown to Messages and press $\textcircled{\baselinetwidth}$ to select.
- 3 or \checkmark to Inbox and press (\mathbb{R}) to select.
- 4 ▲ or ▼ to the required message and press () to select.
 A subject line may be shown if the message is from an e-mail application.
- 5 Press 🗒 once more to access the sub-menu.
- 6 ▲ or ▼ to Reply and press 🗒 to select. OR
 - ▲ or ▼ to Quick Reply and press to select.

A blinking cursor appears. Use the keypad to edit your message, if required.

- 7 Press 🕱 once message is composed.
- 8 The display shows transitional mini notice, confirming your message is being sent.
- 9 If the message is sent, a tone sounds and the display shows positive mini notice.

OR

If the message is not sent, a low tone sounds and the display shows negative mini notice.

If the message fails to send, the radio returns you to the *Resend* option screen (see **Managing Fail-to-Send Text Messages** on page 63).

Deleting a Text Message from the Inbox

Procedure:

Press the programmed **Text Message** button and proceed to Step 3.

OR

Follow the procedure below.

- to access the menu.
- 2 \bullet or \frown to Messages and press B to select.
- 3 ▲ or ▼ to Inbox and press 🕷 to select.

- 4 ▲ or ▼ to the required message and press (to select. A subject line may be shown if the message is from an e-mail application.
- 5 Press 🐻 once more to access the sub-menu.
- 6 ▲ or ▼ to Delete and press 🗒 to select.
- 7 ▲ or ▼ to Yes and press 🐻 to select.
- 8 The display shows positive mini notice.
- 9 The screen returns to the Inbox.

Deleting All Text Messages from the Inbox

Procedure:

Press the programmed **Text Message** button and proceed to Step 3.

OR

Follow the procedure below.

to access the menu.

- or \checkmark to Messages and press $\textcircled{\mathbb{R}}$ to select.
- 3 \bullet or \frown to Inbox and press B to select.

4 ▲ or ▼ to Delete All and press 🐻 to select.

- 5 ▲ or ▼ to Yes and press to select.
- 6 The display shows positive mini notice.

When you select the Inbox and it contains no text messages, the display shows *List Empt*_L and sounds a low tone if Keypad Tones are turned on (see **Turning Keypad Tones On or Off** on page 86).

Analog Message Encode 👩

Your radio is able to send preprogrammed messages from the Message list to a radio alias or to the dispatcher.

Sending MDC Message Encode to Dispatcher

Procedure:

- 1 ▲ or ▼ to Message and press 📓 to select.
- 2 ▲ or ▼ to Quick Text and press I to select.
- 3 \bullet or \blacksquare to the required message. Press 🕷 to send.
- 4 The display shows transitional mini notice, confirming your message is being sent.
- 5 If the message is sent, a tone sounds and the display shows positive mini notice.

OR

If the message is not sent, a low tone sounds and the display shows negative mini notice.

Sending 5-Tone Message Encode to Contact

Procedure:

- 1 ▲ or ▼ to Message and press 🕅 to select.
- 2 ▲ or ▼ to Quick Text and press 🐻 to select.
- 3 \bullet or \checkmark to the required message. Press (\mathbb{R}) to select.
- or \checkmark to the required contact. Press (\mathbb{R}) to select.
- 5 The display shows transitional mini notice, confirming your message is being sent.
- 6 If the message is sent, a tone sounds and the display shows positive mini notice.

OR

If the message is not sent, a low tone sounds and the display shows negative mini notice.

🛭 Analog Status Update 📻

Your radio is able to send preprogrammed messages from the Status List indicating your current activity to a radio contact (for 5-Tone systems) or to the dispatcher (for MDC systems).

The last acknowledged message is kept at the top of the Status List. The other messages are arranged in alphanumeric order.

Sending Status Update to Predefined Contact

Procedure:

- or \checkmark to Status and press B to select.
- or \checkmark to the required status. Press $\overset{\texttt{III}}{\textcircled{IIII}}$ to select.
- ▲ or ▼ to Set as Default. Press to send the status update.
- 4 The display shows transitional mini notice, confirming your status update is being sent.
- 5 If the status update is acknowledged, a tone sounds and the display shows positive mini notice. A ✓ appears beside the acknowledged status.

OR

If the status update is not acknowledged, a low tone sounds and the display shows negative mini notice. A \checkmark remains beside the previous status.

For 5-Tone systems, see **Setting Default Contact** on page 48 for details on setting the default contact.

For 5-Tone systems, a **PTT** button press while in the status list sends the selected status update and returns to the Home screen to initiate a voice call.

Viewing 5-Tone Status Details

Procedure:

- 1 \bullet or \frown to Status and press $\textcircled{\blacksquare}$ to select.
- 2 or \checkmark to the required status. Press $\overset{\boxplus}{\overset{\boxtimes}}$ to select.
- 3 ▲ or ▼ to View Details. Press 🐻 to select.
- 4 The display shows details of the selected status.

Editing 5-Tone Status Details

Procedure:

- ▲ or ▼ to Status and press to select.
- 2 or \checkmark to the required status. Press $\overset{\text{fill}}{\overset{fill}}{\overset{fill}{\overset{fill}}{\overset{fill}{\overset{fill}}{\overset{fill}}{\overset{fill}{\overset{fill}}{\overset{fill}}{\overset{fill}{\overset{fill}}{\overset{fill}}{\overset{fill}}{\overset{fill}}{\overset{fill}{\overset{fill}}{\overset{fill}}{\overset{fill}}{\overset{fill}}{\overset{fill}{\overset{fill}}{\overset{fill}}{\overset{fill}}{\overset{fill}}{\overset{fill}{\overset{fill}$
- 3 ▲ or ▼ to Edit. Press 🐻 to select.

4 A blinking cursor appears. Use the keypad to edit the status details.

Press ◀ to move one space to the left.

Press > or the # key to move one space to the right.

Advanced Features

Press the *DEL key to delete any unwanted characters. Press 🐷 once editing is complete.

- 5 The display shows Status Saved.
- 6 Radio returns to Status List.

Privacy

If enabled, this feature helps to prevent eavesdropping by unauthorized users on a channel by the use of a softwarebased scrambling solution. The signaling and user identification portions of a transmission are not scrambled.

Your radio must have privacy enabled on the channel to send a privacy-enabled transmission, although this is not a necessary requirement for receiving a transmission. While on a privacyenabled channel, the radio is still able to receive clear (unscrambled) transmissions.

Your radio supports two types of privacy:

- Basic Privacy
- · Enhanced Privacy.

Only **ONE** of the privacy types above can be assigned to the radio.

To unscramble a privacy-enabled call or data transmission, your radio must be programmed to have the same Privacy Key (for Basic Privacy), OR the same Key Value and Key ID (for Enhanced Privacy) as the transmitting radio.

If your radio receives a scrambled call that is of a different Privacy Key, OR a different Key Value and Key ID, you will either hear a garbled transmission (Basic Privacy) or nothing at all (Enhanced Privacy). The LED lights up solid green while the radio is transmitting and double blinks green when the radio is receiving an ongoing privacy-enabled transmission.

NOTE: Some radio models may not offer this Privacy feature. Check with your dealer or system administrator for more information.

Procedure:

Press the programmed **Privacy** button to toggle privacy on or off.

OR

3

4

5

Follow the procedure below.

- 1 🗰 to access the menu.
- - or \checkmark to Radio Settings and press $\textcircled{\mathbb{R}}$ to select.
 - 📥 or 🔻 to Privacy.
- Press () to enable Privacy. The display shows ✓ beside Enabled.

OR

Press $(\overline{\mathbb{R}})$ to disable Privacy. The \checkmark disappears from beside Enabled.

If the radio has a privacy type assigned, the secure or unsecure icon appears on the status bar, except when the radio is sending or receiving an Emergency call or alarm. **NOTE:** At Step 4, you can also use **4** or **▶** to change the selected option.

Dual Tone Multi Frequency (DTMF)

The Dual Tone Multi Frequency (DTMF) feature allows the radio to operate in a radio system with an interface to telephone systems.

Procedure:

To initiate a DTMF call.

- 1 Press and hold the **PTT** button.
- 2 Enter the desired number, * or #.

You can turn off the DTMF tone by disabling all radio tones and alerts (see **Turning the Radio Tones/Alerts On or Off** on page 85).

Multi-Site Controls

These features are applicable when your current radio channel is part of an IP Site Connect or Linked Capacity Plus configuration.

See **IP Site Connect** on page 13 and **Linked Capacity Plus** on page 14 for more details about these configurations.

Starting an Automatic Site Search

NOTE: The radio **only** scans for a new site if the current signal is weak or when the radio is unable to detect any signal from the current site. If the RSSI value is strong, the radio remains on the current site.

Procedure:

Press the programmed Site Lock On/Off button.

- 1 A tone sounds and the display shows Site Unlocked.
- 2 The LED blinks yellow rapidly when the radio is actively searching for a new site, and turns off once the radio locks on to a site.
- 3 The display shows the channel alias and the site roaming icon appears.

OR

Procedure:

Use the menu.

- 1 💮 to access the menu.
- 2 or \checkmark to Utilities and press $\textcircled{\mathbb{B}}$ to select.
- 3 ▲ or ▼ to Radio Settings and press 🕷 to select.
- 4 \bullet or \frown to Site Roaming and press 🐻 to select.
- 5 ▲ or ▼ to Unlock Site and press to select. A tone sounds and the display shows Site Unlocked.
- 6 The radio returns to the Home screen. The display shows the channel alias and the site roaming icon appears.
- 7 The LED blinks yellow rapidly when the radio is actively searching for a new site, and turns off once the radio locks on to a site.

The radio also performs an automatic site search (site is unlocked) during a **PTT** button press or data transmission if the current channel, a multi-site channel with an attached roam list, is out of range.

Stopping an Automatic Site Search

When the radio is actively searching for a new site:

Procedure:

Press the programmed Site Lock On/Off button.

- A tone sounds and the display shows Site Locked.
- 2 The LED turns off and the display shows the channel alias.

OR

Procedure:

Use the menu.

- to access the menu.
- 2 or \checkmark to Utilities and press $\textcircled{\mathbb{B}}$ to select.
- 3 \frown or \frown to Radio Settings and press 🐻 to select.
- ► or ▼ to Site Roaming and press 🕅 to select.
- 5 🔺 or 🔻 to Lock Site State. 🔤
- 6 Press () to lock site. The display shows ✓ beside Enabled.
 OR
 - Press B to unlock site. The \checkmark disappears from beside Enabled. The LED turns off and the radio returns to the Home screen. The display shows the channel alias.
- NOTE: At Step 5, you can also use ◀ or ▶ to change the selected option.

Starting a Manual Site Search

Procedure:

Press the programmed **Manual Site Roam** button and proceed to Step 6.

OR

Follow the procedure below.

- 1 🗰 to access the menu.
- 2 ▲ or ▼ to Utilities and press to select.
- 3 \frown or \checkmark to Radio Settings and press (III) to select.
- 4 ▲ or ▼ to Site Roaming and press () to select.
- 5 ▲ or ▼ to Active Search and press 🕷 to select.
- 6 A tone sounds and the display shows Finding Site. The LED blinks green.
- 7 If a new site is found, a tone sounds and the LED turns off. The display shows Site <Alias> Found.

OR

If there is no available site within range, a tone sounds and the LED turns off. The display shows ${\tt Out}\ {\tt of}\ {\tt Range}.$

OR

If a new site is within range, but the radio is unable to connect to it, a tone sounds and the LED turns off. The display shows Channel Busy.

8 The radio returns to the Home screen.

Security

You can enable or disable any radio in the system. For example, you might want to disable a stolen radio, to prevent the thief from using it, and enable that radio, when it is recovered.

NOTE: Performing Radio Disable and Enable is limited to radios with these functions enabled. Check with your dealer or system administrator for more information.

🗍 Radio Disable

Procedure:

Use the programmed Radio Disable button.

- 1 Press the programmed Radio Disable button.
- 2 \frown or \checkmark to the required alias or ID and press $\left(\begin{array}{c} \blacksquare \\ \blacksquare \end{array} \right)$ to select.
- 3 The display shows transitional mini notice, indicating the request is in progress. The LED blinks green.
- 4 Wait for acknowledgment.
- If successful, a positive indicator tone sounds and the display shows positive mini notice.
 OR

If unsuccessful, a negative indicator tone sounds and the display shows negative mini notice.

OR

Procedure:

Use the menu.

- 1 🗰 to access the menu.
- 2 ▲ or ▼ to Contacts and press 🕷 to select. The entries are alphabetically sorted.
- 3 ▲ or ▼ to the required alias or ID and press to select.
 OR
 - A or ▼ to Manual Dial and press to select.
 Key in the subscriber alias or ID and press .
- 4 ▲ or ▼ to Radio Disable and press 🕷 to select.
- 5 The display shows transitional mini notice, indicating the request is in progress. The LED blinks green.
- 6 Wait for acknowledgment.
 - If successful, a positive indicator tone sounds and the display shows positive mini notice.

OR

7

If unsuccessful, a negative indicator tone sounds and the display shows negative mini notice.

Do not press a during the Radio Disable operation as you will not get an acknowledgement message.

🗍 Radio Enable

Procedure:

Use the programmed Radio Enable button.

- Press the programmed **Radio Enable** button.
- 2 \bullet or \blacksquare to the required alias or ID and press B to select.
- 3 The display shows Radio Enable and the subscriber alias or ID. The LED lights up solid green.
- 4 Wait for acknowledgment.
- 5 If successful, the radio sounds a positive indicator tone and the display shows positive mini notice. OR

If unsuccessful, the radio sounds a negative indicator tone and the display shows negative mini notice.

OR

Procedure:

Use the menu.

- to access the menu.
- 3 ▲ or ▼ to the required alias or ID and press () to select.
 OR

78

English

or ▼ to Manual Dial and press to select.
 Key in the subscriber alias or ID and press .

- 4 \bullet or \frown to Radio Enable and press $\overset{\blacksquare}{\blacksquare}$ to select.
- 5 The display shows Radio Enable and the subscriber alias or ID. The LED lights up solid green.
- 6 Wait for acknowledgment.
- 7 If successful, the radio sounds a positive indicator tone and the display shows positive mini notice. OR

If unsuccessful, the radio sounds a negative indicator tone and the display shows negative mini notice.

Do not press a during the Radio Enable operation as you will not get an acknowledgement message.

Lone Worker

This feature prompts an emergency to be raised if there is no user activity, such as any radio button press or activation of the channel selector, for a predefined time.

Following no user activity for a programmed duration, the radio pre-warns the user via an audio indicator once the inactivity timer expires.

If there is still no acknowledgment by the user before the predefined reminder timer expires, the radio initiates an Emergency Alarm.

Only **one** of the following Emergency Alarms is assigned to this feature:

- Emergency Alarm
- Emergency Alarm with Call

Emergency Alarm with Voice to Follow

The radio remains in the emergency state allowing voice messages to proceed until action is taken. See *Emergency Operation* on page 55 on ways to exit Emergency.

NOTE: This feature is limited to radios with this function enabled. Check with your dealer or system administrator for more information.

Password Lock Features

If enabled, this feature allows you to access your radio via password upon powering up.

Accessing the Radio from Password

Procedure:

Power up the radio.

- 1 You hear a continuous tone.
- 2 Enter your current four-digit password with the radio's keypad. The display shows ●●●●. Press () to proceed.

OR

Enter your current four-digit password. Press \bigstar or \checkmark to edit each digit's numeric value. Press \blacktriangleright or $\textcircled{\mathbb{R}}$ to move to the next digit. Each digit changes to \bullet . Press $\textcircled{\mathbb{R}}$ to confirm your selection.

You hear a positive indicator tone for every digit pressed. Press \P to remove the each \bullet on the display. You hear a negative indicator tone, if you press \P when the line is empty, or if you press more than four digits.

If the password is correct: Your radio proceeds to power up. See *Powering Up the Radio* on page 5.

OR

If the password is incorrect: The display shows Wrong Password. Repeat Steps 2.

OR

After the third incorrect password, the display shows Wrong Password and then, shows Radio Locked. A tone sounds and the LED double blinks yellow.

Your radio enters into locked state for 15 minutes, and responds to inputs from **On/Off/Volume Control Knob** and programmed **Backlight Auto** button only.

NOTE: The radio is unable to receive any call, including emergency calls, in locked state.

Unlocking the Radio from Locked State

Procedure:

Wait for 15 minutes. Repeat Steps 1 to 3 in *Accessing the Radio from Password* on page 79.

OR

Power up the radio, if you have powered down the radio during locked state:

- A tone sounds and the LED double blinks yellow. The display shows Radio Locked.
- 2 Wait for 15 minutes. Repeat *Accessing the Radio from Password* on page 79.

Your radio restarts the 15 minutes timer for locked state when you power up.

Turning the Password Lock On or Off

Procedure:

- to access the menu.
- 2 ▲ or ▼ to Utilities and press 🗒 to select.
- 3 ▲ or ▼ to Radio Settings and press 🐻 to select.
- 4 \bullet or \frown to Passwd Lock and press 🕅 to select.
- 5 Enter your current four-digit password. See Step 2 in Accessing the Radio from Password on page 79.
- 6 If the password is correct:

Press B to enable Password Lock. The display shows \checkmark beside Enabled.

OR

Press $(\overline{\mathbb{R}})$ to disable Password Lock. The \checkmark disappears from beside Enabled.

OR

If the password is incorrect:

The display shows Wrong Password and automatically returns to the previous menu.

NOTE: At Step 6, you can also use **4** or **▶** to change the selected option.

Changing the Password

Procedure:

- to access the menu.
- 2 or \checkmark to Utilities and press $\textcircled{\mathbb{B}}$ to select.
- or \checkmark to Radio Settings and press (B) to select.
- Lock and press 🗒 to select.
- 5 Enter your current four-digit password. See Step 2 in *Accessing the Radio from Password* on page 79.
- 6 If the password is correct:
 - or \checkmark to Change Pwd and press ll to select.

OR

If the password is incorrect:

The display shows Wrong Password and automatically returns to the previous menu.

- 7 Enter a new four-digit password. See Step 2 in Accessing the Radio from Password on page 79.
- 8 Re-enter the new four-digit password. See Step 2 in Accessing the Radio from Password on page 79.

 If both of the new password inputs match: The display shows Password Changed.
 OR

If both of the new password inputs do not match: The display shows Passwords Do Not Match.

10 The screen automatically returns to the previous menu.

Bluetooth Operation

This feature allows you to use your radio with a Bluetoothenabled device (accessory) via a Bluetooth connection. Your radio supports both Motorola and COTS (Commercially available Off-The-Shelf) Bluetooth-enabled devices.

Bluetooth operates within a range of 10 meters line of sight. This is an unobstructed path between your radio and your Bluetooth-enabled device.

It is not recommended that you leave your radio behind and expect your Bluetooth-enabled device to work with a high degree of reliability when they are separated.

At the fringe areas of reception, both voice and tone quality will start to sound "garbled" or "broken". To correct this problem, simply position your radio and Bluetooth-enabled device closer to each other (within the 10-meter defined range) to re-establish clear audio reception. Your radio's Bluetooth function has a maximum power of 2.5 mW (4 dBm) at the 10-meter range.

Your radio can support up to 3 simultaneous Bluetooth connections with Bluetooth-enabled devices of unique types. For example, a headset, a scanner, and a PTT-Only Device (POD). Multiple connections with Bluetooth-enabled devices of the same type are not supported.

Refer to your respective Bluetooth-enabled device's user manual for more details on your Bluetooth-enabled device's full capabilities.

J Turning Bluetooth On or Off

Procedure:

- to access the menu.
- 2 \bullet or \checkmark to Blue tooth and press B to select.
- 3 ▲ or ▼ to My Status and press to select.

OR

Finding and Connecting to a Bluetooth Device

Procedure:

- 1 Turn on your Bluetooth-enabled device and place it in pairing mode. Refer to respective Bluetooth-enabled device's user manual.
- 1 On your radio, press 🐻 to access the menu.
- 2 \bullet or \frown to Bluetooth and press B to select.
- 3 ▲ or ▼ to Devices and press 🗒 to select.

- - ▲ or ▼ to Find Devices to locate available devices.
 - ▲ or ▼ to the required device and press () to select.
- ◆ or ▼ to Connect and press to select. Display shows Connecting to <device>.
 Your Bluetooth-enabled device may require additional steps to complete the pairing. Refer to respective Bluetoothenabled device's user manual.
- If successful, the radio display shows <Device> Connected. A tone sounds and ✓ appears beside the connected device. The Bluetooth Connected icon appears on the status bar.

OR

If unsuccessful, the radio display shows ${\tt Connecting}$ ${\tt Failed}.$

Do not turn off your Bluetooth-enabled device or press (*) during the finding and connecting operation as this cancels the operation.

NOTE: If pin code is required, use the same entry method as Step 2 in *Accessing the Radio from Password* on page 79.

Disconnecting from a Bluetooth Device

Procedure:

- 1 On your radio, press 🐻 to access the menu.
- 2 or \checkmark to Blue tooth and press B to select.
- 3 ▲ or ▼ to Devices and press I to select.
- 4 \bullet or \checkmark to the required device and press II to select.
- 5 ▲ or ▼ to Disconnect and press () to select. Display shows Disconnecting from <device>. Your Bluetooth-enabled device may require additional steps to disconnect. Refer to respective Bluetooth-enabled device's user manual.
 - The radio display shows *(Device)* Disconnected. A positive indicator tone sounds and \checkmark disappears beside the connected device. The Bluetooth Connected icon disappears on the status bar.

Switching Audio Route

You can toggle audio routing between internal radio speaker and external Bluetooth-enabled accessory.

Procedure:

Press the programmed **Bluetooth Audio Switch** button.

2 A tone sounds and display shows Route Audio to Radio. OR A tone sounds and display shows Route Audio to Bluetooth.

Viewing Device Details

Procedure:

- to access the menu.
 or ▼ to Blue tooth and press to select.
 or ▼ to Devices and press to select.
 or ▼ to the required device and press to select.
- 5 ▲ or ▼ to View Details and press 🐻 to select.

84

6

English

Editing Device Name

You can edit the name of available Bluetooth-enabled devices.

Procedure:

- to access the menu.
- 2 \bullet or \frown to Blue too th and press B to select.
- 3 ▲ or ▼ to Devices and press I to select.
- 5 ▲ or ▼ to Edit. Name and press 🗰 to select.
- 6 A blinking cursor appears. Use the keypad to type the required zone.

Press ◀ to move one space to the left.

Press ▶ to move one space to the right. Press the *DEL key to delete any unwanted characters.

7 The display shows Device Name Saved.

Notification List

Your radio has a Notification List that collects all your "unread" events on the channel, such as unread text messages, telegrams, telemetry messages, missed calls, and call alerts.

The Notification icon appears on the status bar when the Notification List has one or more events.

The list supports a maximum of forty (40) unread events. When it is full, the next event automatically replaces the oldest event.

After the events are read, they are removed from the Notification List.

NOTE: Your radio suspends Scan when the Notification List is displayed. Scanning resumes when your radio exits the Notification List. Press (*) to exit the Notification List or wait for the menu timer to expire.

Accessing the Notification List

Procedure:

- 1 💮 to access the menu.
- 2 ▲ or ▼ to Notification and press 🐻 to select.
- 3 \frown or \checkmark to the required event and press $\textcircled{\mathbb{B}}$ to select.

Long press $(\overset{>}{\ast})$ to return to the Home screen.

Utilities

Turning the Radio Tones/Alerts On or Off

You can enable and disable all radio tones and alerts (except for the incoming Emergency alert tone) if needed.

Procedure:

Press the programmed **All Tones/Alerts** button to toggle all tones on or off.

OR

4

5

Follow the procedure below.

- 1 🗰 to access the menu.
- - or \checkmark to Radio Settings and press B to select.
- ← or ▼ to Tones/Alerts and press 🐻 to select.
- or \checkmark to All Tones and press B to select.
- Press $\left(\begin{array}{c} \hline \\ \hline \\ \end{array} \right)$ to enable all tones. The display shows \checkmark beside Enabled.

OR

Press $\left(\frac{1}{M}\right)$ to disable all tones. The \checkmark disappears from beside Enabled.

NOTE: At Step 5, you can also use ◀ or ▶ to change the selected option.

Turning Keypad Tones On or Off

You can enable and disable keypad tones if needed.

Procedure:

to access the menu.

- 2 ▲ or ▼ to Utilities and press 🗒 to select.
- 3 \bullet or \frown to Radio Settings and press B to select.
- 4 ▲ or ▼ to Tones/Alerts and press 🐻 to select.
- 5 \frown or \frown to Keypad Tones and press 🐻 to select.
- 6 Press (b) to enable keypad tones. The display shows ✓ beside Enabled.

OR

Press (\mathbb{R}) to disable keypad tones. The \checkmark disappears from beside Enabled.

NOTE: At Step 5, you can also use **4** or **▶** to change the selected option.

Setting the Tone Alert Volume Offset Level

You can adjust the Tone Alert Volume Offset level if needed. This feature adjusts the volume of the tones/alerts, allowing it to be higher or lower than the voice volume.

Procedure:

- to access the menu.
- 2 ▲ or ▼ to Utilities and press 📓 to select.
- 3 ▲ or ▼ to Radio Settings and press 🐻 to select.
- 4 ▲ or ▼ to Tones/Alerts and press 🕷 to select.
- 5 ▲ or ▼ to Vol. Offset and press 🕷 to select.
- 7 Press (to keep the required displayed volume value.
 OR

Repeat Step 6 to select another volume value.

OR

to exit without changing the current volume offset settings.

Turning the Talk Permit Tone On or Off

You can enable and disable the Talk Permit Tone if needed.

Procedure:

- 1 🗰 to access the menu.
- 2 ▲ or ▼ to Utilities and press 🕷 to select.
- 3 ▲ or ▼ to Radio Settings and press 🐻 to select.
- L ← or ▼ to Tones/Alerts and press 🗒 to select.
- 5 ▲ or ▼ to Talk Permit and press 🗒 to select.
- 6 Press () to enable Talk Permit Tone. The display shows ✓ beside Enabled.

OR

Press $(\begin{subarray}{c} \begin{subarray}{c} \begin{subarray}{$

NOTE: At Step 5, you can also use **4** or **▶** to change the selected option.

Setting the Power Level

You can customize your radio's power setting to high or low for each channel.

Settings: High enables communication with radios located at a considerable distance from you. Low enables communication with radios in closer proximity.

Procedure:

Press the programmed **Power Level** button to toggle transmit power level between high and low.

OR

Δ

5

6

Follow the procedure below.

- 1 💮 to access the menu.
- 3 \frown or \frown to Radio Settings and press 🕷 to select.
 - ▲ or ▼ to Power and press (to select.
 - or \checkmark to the required setting and press $\textcircled{1}{100}$ to select. \checkmark appears beside selected setting.
- Screen returns to the previous menu.

Long press to return to the Home screen. The power level icon is visible.

NOTE: At Step 4, you can also use ◀ or ▶ to change the selected option.

Changing the Display Mode

You can change radio's display mode between Day or Night, as needed. This affects the color palette of the display.

Procedure:

Press the programmed **Display Mode** button to toggle the display mode settings.

OR

Follow the procedure below.

- to access the menu.
- or \checkmark to Utilities and press $\textcircled{\mathbb{B}}$ to select.
- 3 \bullet or \frown to Radio Settings and press II to select.
- ► or ▼ to Day/Night and press 🗒 to select.
- NOTE: At Step 4, you can also use ◀ or ▶ to change the selected option.

88

English

Adjusting the Display Brightness

You can adjust radio's display brightness as needed.

Procedure:

Press the programmed Brightness button and proceed to Step 5.

OR

Follow the procedure below.

- BB OK to access the menu.
- ► or ▼ to Utilities and press 🕷 to select.
- ▲ or ▼ to Radio Settings and press 🕷 to select. 3
- ► or ▼ to Brightness and press 🐻 to select.
- 5 The display shows a progress bar. Decrease display brightness by pressing \P or increase the display brightness by pressing **)**. Press to confirm your entry.

Controlling the Display Backlight

You can enable or disable the radio's display backlight as needed. The setting also affects the Menu Navigation Buttons and keypad backlighting accordingly.

Procedure:

Press the programmed Backlight Auto button to toggle the backlight settings.

OR

Follow the procedure below.

to access the menu.

- ▲ or ▼ to Utilities and press () to select.
- or \checkmark to Radio Settings and press $\textcircled{\mathbb{R}}$ to select.
- 🕨 or 🔽 to Backlight Auto
- Press $\left(\begin{array}{c} \blacksquare \\ \blacksquare \end{array} \right)$ to enable backlight. The display shows \checkmark beside Enabled.

OR

Press 📓 to disable backlight. The ✓ disappears from beside Enabled.

The display backlight and keypad backlighting are automatically turned off if the LED indicator is disabled (see Turning the LED Indicator On or Off on page 91).

NOTE: At Step 4, you can also use **4** or **▶** to change the selected option.

Setting the Squelch Level M



You can adjust your radio's squelch level to filter out unwanted calls with low signal strength or channels that have a higher than normal background noise.

Settings: Normal is the default. Tight filters out (unwanted) calls and/or background noise. However, calls from remote locations may also be filtered out.

Procedure:

Press the programmed **Squelch** button to toggle squelch level between normal and tight.

OR

Follow the procedure below.

- 1 🗰 to access the menu.
- 2 or \checkmark to Utilities and press $\textcircled{\mathbb{B}}$ to select.
- 3 \frown or \checkmark to Radio Settings and press B to select.

- 6 Screen returns to the previous menu.
- NOTE: At Step 4, you can also use ◀ or ▶ to change the selected option.

Turning the Introduction Screen On or Off

You can enable and disable the Introduction Screen if needed.

Procedure:

to access the menu.

- 2 ▲ or ▼ to Utilities and press 🗰 to select.
- 3 \frown or \frown to Radio Settings and press 🐻 to select.
- 4 ▲ or ▼ to Intro Screen and press 🐻 to select.
- 5 Press (b) to enable Introduction Screen. The display shows
 ✓ beside Enabled.

OR

Press (\mathbb{R}) to disable Introduction Screen. The \checkmark disappears from beside Enabled.

NOTE: At Step 4, you can also use ◀ or ▶ to change the selected option.

Locking and Unlocking the Keypad

You can lock your radio's keypad to avoid inadvertent key entry.

Procedure:

to access the menu.

- 2 ▲ or ▼ to Utilities and press 🕅 to select.
- 3 ▲ or ▼ to Radio Settings and press 🕷 to select.

90

English

- 4 ▲ or ▼ to Keypad Lock and press 🕷 to select.
- 5 The display shows Keypad Locked and returns to the Home screen.
- 6 To unlock the keypad, press [™] followed by [★].
- 7 The display shows Keypad Unlocked and returns to the Home screen.
- **NOTE:** At Step 4, you can also use **4** or **▶** to change the selected option.

🗍 Language

You can set your radio display to be in your required language.

Procedure:

- 1 💮 to access the menu.
- 2 \bullet or \checkmark to Utilities and press B to select.
- 3 \bigstar or \blacktriangledown to Language and press 🕅 to select.
- 4 or to the required language and press (b) to enable.
 ✓ appears beside selected language.
- NOTE: At Step 4, you can also use ◀ or ▶ to change the selected option.

Turning the LED Indicator On or Off

You can enable and disable the LED Indicator if needed.

Procedure:

- 1 📖 to access the menu.
- 2 ▲ or ▼ to Utilities and press 🐻 to select.
- 3 ▲ or ▼ to Radio Settings and press 慮 to select.
- 4 ▲ or ▼ to LED Indicator and press 🕷 to select.
- 5 Press (to enable LED indicator. The display shows ✓ beside Enabled.

OR

Press $(\underline{\mathbb{R}})$ to disable LED indicator. The \checkmark disappears from beside Enabled.

The display backlight, buttons, and keypad backlighting are automatically turned off if the LED indicator is disabled (see **Controlling the Display Backlight** on page 88).

NOTE: At Step 4, you can also use **4** or **▶** to change the selected option.

Turning the Voice Operating Transmission (VOX) Feature On or Off

This feature allows you to initiate a hands-free voice activated call on a programmed channel. The radio automatically

transmits, for a programmed period, whenever the microphone on the VOX-capable accessory detects voice.

Pressing the **PTT** button during radio operation disables VOX. To re-enable VOX, do **one** of the following:

- Turn the radio off and power it on again, OR
- Change the channel via the Channel Selector Knob, OR
- Follow the procedure below.
- **NOTE:** Turning this feature on or off is limited to radios with this function enabled. Check with your dealer or system administrator for more information.

Procedure:

Press the programmed **VOX** button to toggle the feature on or off.

OR

3

5

Follow the procedure below.

- 1 🗰 to access the menu.
 - ▲ or ▼ to Utilities and press to select.
 - or \checkmark to Radio Settings and press $\textcircled{\mathbb{R}}$ to select.
 - ▲ or ▼ to ∪ox.
 - Press () to enable VOX. The display shows ✓ beside Enabled. **OR**

Press (\mathbb{R}) to disable VOX. The \checkmark disappears from beside Enabled.

If the Talk Permit Tone feature is enabled (see **Turning the Talk Permit Tone On or Off** on page 87), use a trigger word to initiate the call. Wait for the Talk Permit Tone to finish before speaking clearly into the microphone.

NOTE: At Step 4, you can also use ◀ or ▶ to change the selected option.

□ Turning the Option Board Feature(s) On or Off

Option board capabilities within each channel and can be assigned to programmable buttons. Refer to your dealer or system administrator for more information.


Procedure:

Press the programmed **Option Board Feature** button to toggle the feature on or off.

Identifying Cable Type

You can select the type of cable your radio uses.

Procedure:



▲ or ▼ to Utilities and press () to select.

Advanced

Features

- 3 ▲ or ▼ to Radio Settings and press 🕷 to select.
- 4 ▲ or ▼ to Cable Type and press 🐻 to select.
- 5 The current cable type is indicated by a \checkmark .
- NOTE: At Step 4, you can also use ◀ or ▶ to change the selected option.

Voice Announcement

This feature enables the radio to audibly indicate the current Zone or Channel the user has just assigned, or programmable button press. This audio indicator can be customized per customer requirements. This is typically useful when the user is in a difficult condition to read the content shown on the display.


Use the following features to toggle Voice Announcement on or off.

Procedure:

Press the programmed Voice Announcement button.

OR

Follow the procedure below.



- 2 ▲ or ▼ to Utilities and press 🕅 to select.
- 3 🔺 or 🔻 to Voice Announcement.

4 Press () to enable Voice Announcement. The display shows ✓ beside Enabled.
 OR

Press B to disable Voice Announcement. The \checkmark disappears from beside Enabled.

NOTE: At Step 3, you can also use ◀ or ▶ to change the selected option.

🗍 Call Forwarding 🔞

You can enable your radio to automatically forward voice calls to another radio.

Procedure:

- 1 📖 to access the menu.
- 2 ▲ or ▼ to Utilities and press to select.
- 3 🔺 or 🔻 to Call Forward.
- 4 Press (to enable Call Forwarding. The display shows ✓ beside Enabled.

OR

Press B to disable Call Forwarding. The \checkmark disappears from beside Enabled.

NOTE: At Step 3, you can also use ◀ or ▶ to change the selected option.

🗍 Menu Timer

Set the period of time your radio stays in the menu before it automatically switches to the Home screen.

Procedure:

- 1 🗰 to access the menu.
- 2 or \checkmark to Utilities and press B to select.
- 3 ▲ or ▼ to Radio Settings and press 🕷 to select.
- 4 ▲ or ▼ to Menu Timer and press 🐻 to select.
 - or \checkmark to the required setting and press $\textcircled{\mathbb{R}}$ to enable.

Analog Mic AGC

This feature controls the your radio's microphone gain automatically while transmitting on an analog system. It suppresses loud audio or boosts soft audio to a preset value in order to provide a consistent level of audio.

Procedure:

- 1 💮 to access the menu.
 - ▲ or ▼ to Utilities and press to select.

- 3 ▲ or ▼ to Radio Settings and press 🕅 to select.
- 4 ▲ or ▼ to Analog Mic AGC.
- 5 Press [™] to enable Analog Mic AGC. The display shows ✓ beside Enabled.

OR

Press B to disable Analog Mic AGC. The \checkmark disappears from beside Enabled.

NOTE: At Step 3, you can also use ◀ or ▶ to change the selected option.

Digital Mic AGC

This feature controls the your radio's microphone gain automatically while transmitting on an digital system. It suppresses loud audio or boosts soft audio to a preset value in order to provide a consistent level of audio.

Procedure:

- to access the menu.
- 2 or \checkmark to Utilities and press $\textcircled{\mathbb{B}}$ to select.
- 3 ▲ or ▼ to Radio Settings and press 🐻 to select.
- 🔺 or 🔻 to Digital Mic AGC.

94

5 Press [™] to enable Digital Mic AGC. The display shows ✓ beside Enabled.

OR

Press B to disable Digital Mic AGC. The \checkmark disappears from beside Enabled.

NOTE: At Step 3, you can also use ◀ or ▶ to change the selected option.

Intelligent Audio

Your radio automatically adjusts its audio volume to overcome current background noise in the environment, inclusive of both stationary and non-stationary noise sources. This feature is a Receive-only feature and does not affect Transmit audio.

NOTE: This feature is not applicable during a Bluetooth session.


Use the following features to toggle Intelligent Audio on or off.

Procedure:

Press the programmed **Intelligent Audio** button to toggle the feature on or off.

OR

Follow the procedure below.



2 ▲ or ▼ to Utilities and press 📓 to select.

- 3 ▲ or ▼ to Radio Settings and press 🕷 to select.
- 🛔 🔺 or 🔻 to Intelligent Audio.
- 5 Press (to enable Intelligent Audio. The display shows ✓ beside Enabled.

OR

Press B to disable Intelligent Audio. The \checkmark disappears from beside Enabled.

NOTE: At Step 3, you can also use **4** or **▶** to change the selected option.

🗍 GPS

Global Positioning System (GPS) is a satellite navigation system that determines the radio's precise location.

It is recommended you only disable GPS to save battery life when the GPS signal is unavailable.

Procedure:

Press the programmed **GPS** button to toggle the feature on or off.

OR

l 📓 to access the menu.

▲ or ▼ to Utilities and press to select.

- or \checkmark to Radio Settings and press B to select. 3
- or To GPS. Δ
- Press B to enable GPS. The display shows \checkmark beside 5 Enabled.

OR

Press B to disable GPS. The \checkmark disappears from beside Enabled.

See Checking the GPS Information on page 97 for details on retrieving GPS information.

NOTE: At Step 4, you can also use **4** or **▶** to change the selected option.

Accessing General Radio Information

Your radio contains information on the following:

- Battery
- Radio Alias and ID (
- Firmware and Codeplug Versions
- GPS Information
- **NOTE:** Press (a) at any time to return to the previous screen or long press (*) to return to the Home screen. The radio exits the current screen once the inactivity timer expires.

Accessing the Battery Information

Displays information on your radio battery.

Procedure:

- to access the menu.
- ▲ or ▼ to Utilities and press to select.
- ▲ or ▼ to Radio Info and press to select.
- ▲ or ▼ to Battery Info and press 📓 to select.
- 5 The display shows the battery information. OR For IMPRES batteries ONLY: The display reads Recondition Battery if the battery requires reconditioning in an IMPRES charger. After the reconditioning process, the display then shows the battery information.

🗍 Checking the Radio Alias and ID 🙉



Displays the ID of your radio.

Procedure:

Press the programmed Radio Alias and ID button to check your radio alias and ID. You hear a positive indicator tone.

OR

Features

Follow the procedure below.

- 1 🐻 to access the menu.
- 2 or \checkmark to Utilities and press $\textcircled{\mathbb{B}}$ to select.
- 3 ▲ or ▼ to Radio Info and press 🕷 to select.
- 4 ▲ or ▼ to My Number and press 🗒 to select.
- 5 The first line of the display shows the radio alias. The second line of the display shows the radio ID

You can also press the programmed **Radio Alias and ID** button to return to the previous screen.

Checking the Firmware Version and Codeplug Version

Displays the firmware and codeplug versions on your radio.

Procedure:

- 1 💮 to access the menu.
- 2 or \checkmark to Utilities and press B to select.
- 3 ▲ or ▼ to Radio Info and press to select.
- 4 ▲ or ▼ to Versions and press to select.
- 5 The display shows the current firmware and codeplug versions.

Checking the GPS Information

Displays the GPS information on your radio, such as values of:

- Latitude
- Longitude
- Altitude
- Direction
- Velocity
- Horizontal Dilution of Precision (HDOP)
- Satellites
- Version

Procedure:

- 1 🐻 to access the menu.
- 2 ▲ or ▼ to Utilities and press 📓 to select.
- 6 ▲ or ▼ to Radio Info and press 🐻 to select.
- I ▲ or ▼ to GPS Info and press 🗒 to select.
- 5 \frown or \frown to the required item and press $\textcircled{\mathbb{B}}$ to select.
- 6 The display shows the requested GPS information.

See GPS on page 95 for details on GPS.

Front Panel Programming (FPP)

Your radio is able to customize certain feature parameters to enhance the use of your radio.

Entering FPP Mode

Procedure:

- 1 to access the menu.
- 2 or \checkmark to Utilities and press B to select.
- 3 \bullet or \frown to Program Radio and press 🕅 to select.
- NOTE: Long press at any time to return to the Home screen.

Editing FPP Mode Parameters

Use the following buttons as required while navigating through the feature parameters.

 \clubsuit , \blacktriangledown , \blacklozenge , \blacklozenge , \blacktriangleright – Scroll through options, increase/decrease values, or navigate vertically

- 🗒 Select the option or enter a sub-menu
- Short-press to return to previous menu or to exit the selection screen. Long-press to return to Home screen.

Accessories

Your radio is compatible with the accessories listed in this chapter. Contact your dealer for details.

Antennas..... page 98

Antennas

- UHF, 403–527 MHz, Whip Antenna, 15cm¹ (PMAE4068_)
- UHF, 403–527 MHz, Slim Whip Antenna, 15cm¹ (PMAE4079_)
- UHF, 403–450 MHz, Stubby Antenna, 9cm² (PMAE4069_)
- UHF, 440–490 MHz, Stubby Antenna, 9cm³ (PMAE4070_)
- UHF, 470–527 MHz, Stubby Antenna, 9cm⁴ (PMAE4071_)
- VHF, 144–165 MHz, Helical Antenna, 9cm⁵ (PMAD4116_)
- VHF, 136–155 MHz, Helical Antenna, 9cm⁶ (PMAD4117_)
- VHF, 152–174 MHz, Helical Antenna, 9cm⁷ (PMAD4118_)
- VHF, 136–148 MHz, Stubby Antenna, 9cm⁸ (PMAD4119_)
- VHF, 146–160 MHz, Stubby Antenna, 9cm⁹ (PMAD4120_)
- VHF, 160–174 MHz, Stubby Antenna, 9cm¹⁰ (PMAD4121_)

Color Code:				
1 Orange	3 Green	5 Pink	7 Blue	9 Purple
2 Red	4 White	6 Yellow	8 Gray	10Brown

Batteries and Chargers Warranty

The Workmanship Warranty

The workmanship warranty guarantees against defects in workmanship under normal use and service.

All MOTOTRBO Batteries	Two (2) Years
IMPRES Chargers (Single-Unit and Multi-Unit, Non-Display)	Two (2) Years
IMPRES Chargers (Multi-Unit with Display)	One (1) Year

The Capacity Warranty

The capacity warranty guarantees 80% of the rated capacity for the warranty duration.

Nickel Metal-Hydride (NiMH) or Lithium-Ion (Li-Ion) Batteries	12 Months
IMPRES Batteries, When Used Exclusively with IMPRES Chargers	18 Months

Limited Warranty

MOTOROLA COMMUNICATION PRODUCTS

I. WHAT THIS WARRANTY COVERS AND FOR HOW LONG:

MOTOROLA SOLUTIONS, INC. ("MOTOROLA") warrants the MOTOROLA manufactured Communication Products listed below ("Product") against defects in material and workmanship under normal use and service for a period of time from the date of purchase as scheduled below:

DP Series Digital Portable Radios	Two (2) Years
Product Accessories (Excluding Batteries and Chargers)	One (1) Year

MOTOROLA, at its option, will at no charge either repair the Product (with new or reconditioned parts), replace it (with a new or reconditioned Product), or refund the purchase price of the Product during the warranty period provided it is returned in accordance with the terms of this warranty. Replaced parts or boards are warranted for the balance of the original applicable warranty period. All replaced parts of Product shall become the property of MOTOROLA.

This express limited warranty is extended by MOTOROLA to the original end user purchaser only and is not assignable or transferable to any other party. This is the complete warranty for the Product manufactured by MOTOROLA. MOTOROLA assumes no

obligations or liability for additions or modifications to this warranty unless made in writing and signed by an officer of MOTOROLA.

Unless made in a separate agreement between MOTOROLA and the original end user purchaser, MOTOROLA does not warrant the installation, maintenance or service of the Product.

MOTOROLA cannot be responsible in any way for any ancillary equipment not furnished by MOTOROLA which is attached to or used in connection with the Product, or for operation of the Product with any ancillary equipment, and all such equipment is expressly excluded from this warranty. Because each system which may use the Product is unique, MOTOROLA disclaims liability for range, coverage, or operation of the system as a whole under this warranty.

II. GENERAL PROVISIONS:

This warranty sets forth the full extent of MOTOROLA'S responsibilities regarding the Product. Repair, replacement or refund of the purchase price, at MOTOROLA's option, is the exclusive remedy. THIS WARRANTY IS GIVEN IN LIEU OF ALL OTHER EXPRESS WARRANTIES. IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO THE DURATION OF THIS LIMITED WARRANTY. IN NO EVENT SHALL MOTOROLA BE LIABLE FOR DAMAGES IN EXCESS OF THE PURCHASE PRICE OF THE PRODUCT, FOR ANY LOSS OF USE, LOSS OF TIME, INCONVENIENCE, COMMERCIAL LOSS, LOST PROFITS OR SAVINGS OR OTHER INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR

INABILITY TO USE SUCH PRODUCT, TO THE FULL EXTENT SUCH MAY BE DISCLAIMED BY LAW.

III. STATE LAW RIGHTS:

SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES OR LIMITATION ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION OR EXCLUSIONS MAY NOT APPLY.

This warranty gives specific legal rights, and there may be other rights which may vary from state to state.

IV. HOW TO GET WARRANTY SERVICE:

You must provide proof of purchase (bearing the date of purchase and Product item serial number) in order to receive warranty service and, also, deliver or send the Product item, transportation and insurance prepaid, to an authorized warranty service location. Warranty service will be provided by MOTOROLA through one of its authorized warranty service locations. If you first contact the company which sold you the Product (e.g., dealer or communication service provider), it can facilitate your obtaining warranty service.

V. FOR AUSTRALIA ONLY:

This warranty is given by Motorola Solutions Australia Pty Limited (ABN 16 004 742 312) of Tally Ho Business Park, 10 Wesley Court. Burwood East, Victoria.

Our goods come with guarantees that cannot be excluded under the Australia Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Motorola Solutions Australia's limited warranty above is in addition to any rights and remedies you may have under the Australian Consumer Law. If you have any queries, please call Motorola Solutions Australia at 1800 457 439. You may also visit our website: http://www.motorola.com/Business/XA-EN/Pages/Contact_Us for the most updated warranty terms.

VI. WHAT THIS WARRANTY DOES NOT COVER:

- A) Defects or damage resulting from use of the Product in other than its normal and customary manner.
- B) Defects or damage from misuse, accident, water, or neglect.
- C)Defects or damage from improper testing, operation, maintenance, installation, alteration, modification, or adjustment.
- D)Breakage or damage to antennas unless caused directly by defects in material workmanship.
- E)A Product subjected to unauthorized Product modifications, disassembles or repairs (including, without limitation, the addition to the Product of non-MOTOROLA supplied equipment) which adversely affect performance of the Product or interfere with MOTOROLA's normal warranty inspection and testing of the Product to verify any warranty claim.
- F) Product which has had the serial number removed or made illegible.

Warranty

imited

G)Rechargeable batteries if:

(1) any of the seals on the battery enclosure of cells are broken or show evidence of tampering.

(2) the damage or defect is caused by charging or using the battery in equipment or service other than the Product for which it is specified.

H)Freight costs to the repair depot.

- A Product which, due to illegal or unauthorized alteration of the software/firmware in the Product, does not function in accordance with MOTOROLA's published specifications or the FCC certification labeling in effect for the Product at the time the Product was initially distributed from MOTOROLA.
- J) Scratches or other cosmetic damage to Product surfaces that does not affect the operation of the Product.
- K) Normal and customary wear and tear.

VII. PATENT AND SOFTWARE PROVISIONS:

MOTOROLA will defend, at its own expense, any suit brought against the end user purchaser to the extent that it is based on a claim that the Product or parts infringe a United States patent, and MOTOROLA will pay those costs and damages finally awarded against the end user purchaser in any such suit which are attributable to any such claim, but such defense and payments are conditioned on the following:

- A) that MOTOROLA will be notified promptly in writing by such purchaser of any notice of such claim;
- B) that MOTOROLA will have sole control of the defense of such suit and all negotiations for its settlement or compromise; and

C) should the Product or parts become, or in MOTOROLA's opinion be likely to become, the subject of a claim of infringement of a United States patent, that such purchaser will permit MOTOROLA, at its option and expense, either to procure for such purchaser the right to continue using the Product or parts or to replace or modify the same so that it becomes non-infringing or to grant such purchaser a credit for the Product or parts as depreciated and accept its return. The depreciation will be an equal amount per year over the lifetime of the Product or parts as established by MOTOROLA.

MOTOROLA will have no liability with respect to any claim of patent infringement which is based upon the combination of the Product or parts furnished hereunder with software, apparatus or devices not furnished by MOTOROLA, nor will MOTOROLA have any liability for the use of ancillary equipment or software not furnished by MOTOROLA which is attached to or used in connection with the Product. The foregoing states the entire liability of MOTOROLA with respect to infringement of patents by the Product or any parts thereof.

Laws in the United States and other countries preserve for MOTOROLA certain exclusive rights for copyrighted MOTOROLA software such as the exclusive rights to reproduce in copies and distribute copies of such MOTOROLA software. MOTOROLA software may be used in only the Product in which the software was originally embodied and such software in such Product may not be replaced, copied, distributed, modified in any way, or used to produce any derivative thereof. No other use including, without limitation, alteration, modification, reproduction, distribution, or reverse engineering of such MOTOROLA software or exercise of rights in such MOTOROLA software is permitted. No license is

granted by implication, estoppel or otherwise under MOTOROLA patent rights or copyrights.

Notes

VIII. GOVERNING LAW:

This Warranty is governed by the laws of the State of Illinois, U.S.A.

108

English



MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2012 Motorola Solutions, Inc. All rights reserved. April 2012.

www.motorolasolutions.com/mototrbo



68012007015-A